



Paint Applicators Product Catalogue

QUALITY and INNOVATION SINCE 1866





Table of Contents

www.simms.ca

Company Profile	3 - 5
Merchandising Program	6 - 8
Paint Brushes	9 - 23
Vintage Pro Series Brushes	11
Professional Brushes	12
Consumer Brush Lines	15
Special Purpose Brushes	18
Promotional Brushes	21
Roller Refills	24 - 30
Vintage Pro Series & Elite Professional Plus Rollers	25
Professional Rollers	26
Econo Grade and Specialty Rollers	29
Roller Frames	31 - 33
Roller Trays	34 - 37
Roller Sets	38
Promotional Roller Sets	39 - 40
Extension Poles	41
Time Trimmer Mini-Rollers	42 - 46
Mighty Mini Rollers	47
Trim Coaters	48 - 50
Trim Roller Sets	51
Painting Accessories	52 - 55



T.S. Simms & Co. has a long history as the foremost manufacturer of quality painting tools in Canada. In fact, the Simms Company has had a well-known tradition of craftsmanship and innovation since 1866. The Company's solid reputation is due to the dedication of its people and a consistent focus on quality and service. We are Canadian based selling into the Canadian Market and we are also part of an international network of paint applicator companies, including Linzer and ArroWorthy in the United States and BYP in Mexico. Being part of this network provides invaluable resources to stay on the leading edge for new products and merchandising support. We look forward with confidence to the prospect of new challenges and opportunities in today's dynamic marketplace.

The Simms Brand

Simms is a recognized and trusted brand name in Canada.

Industry renowned for quality DIY and Professional products backed by a 100% guarantee.





www.simms.ca

Sales Support


Simms has a dedicated national sales force of regional management teams working with contracted in-store merchandising and service companies.



System Support

Simms operates advanced computer systems, is fully EDI compatible and uses integrated in-plant scanning technology.

Simms is on the world wide web at www.simms.ca.



A Tradition of Quality and Innovation



www.simms.ca

Simms has a long history of product quality, innovation and design excellence. At Simms, we combine the most modern of automated manufacturing methods with the traditional skills of our craftspeople, often incorporating extra steps, to ensure that our paint applicator products are of the very highest quality. Only the best grades of bristle, synthetic filaments and top notch roller

fabrics are purchased for our paint brush and roller lines. Several of our patented design plastic paint trays and roller frames have become the standard for the industry and many unique painting and trim accessories have been introduced over the years to compliment our core applicators resulting in one of the most comprehensive selection of painting tools for both the Do It Yourselfer and Painting Professional.

Simms is never content with "standing still".

We do extensive product testing and product development by our in-house experts. We have a dedicated R&D department who continually focus on product innovation, constantly refining, researching and developing new products to respond to the changing needs of the market place.





Merchandising Program

www.simms.ca

Proven Merchandising Support




T.S. Simms & Co. has always been on the leading edge with merchandising to further support product sell through.

Based on an easy to use selection system, Simms comprehensive merchandising program helps sell consumers up to top quality products and ensures that

"the right tools are purchased for the job".

Packaging, header boards and p.o.p strips are bold and eye-catching, colour coded to the appropriate quality level, while

in simple terminology, explaining proper usage applications. A **consumer use brochure** is also available with easy to understand "**Do's & Don'ts**" of painting to further advise your customers on how to get the best results, what tools they need for their painting projects and handy clean-up tips.








Merchandising Program



www.simms.ca


Proven Merchandising Support

Problem-free **fixture displayers** are easy to maintain and stock, and will improve the look of any paint applicator department.



CODE	DESCRIPTION
29 00 001	Pegboard Hook 4"
29 00 002	Pegboard Hook 6"
29 00 003	Pegboard Hook 8"
29 00 004	Pegboard Hook 10"
29 00 007	28FB Foam Brush Rack 4 Prong
29 00 029	26BB Brush Strip Rack 24"x2"
49 00 030	30S Sign Frame Rack 48"x7"
49 00 065	65F Roller Frame Rack
49 00 086	86R Roller Refill Bin





Simms offers a selection of attractive, **prepackaged promotional product displays** for additional impulse sales. Available in compact counter top formats or larger quarter, half or full pallet assortments. Contact your

Simms sales or customer service representative for more information.









Merchandising Program

www.simms.ca

JDA Space Management

Recognizing the need for store specific assortments, Simms is now using JDA Space, a state of the art, 32-bit computerized space management system designed to meet all your merchandising needs.

JDA Space combines high quality digital image displays that are technically and visually accurate with detailed analytic capabilities. Let us work with you to produce customized planograms that are not only attractive to your customers, but will increase in store sales, maximize profits and save you time — real business benefits you can measure.

Planograms (Proven Performers)

These planograms represent selections and layouts that are proven in the marketplace. However, Simms merchandising is completely flexible, and we can develop a merchandising program to suit your specific space and market requirements.



4 Foot — Fast Turns, Good Selection: Ideal for small hardware or paint stores. Provides a Good, Better, Best selection of brushes, rollers and kits.



8 Foot — Easy Add-On Sales: Our 8 foot planogram has a broader selection of roller refills and brushes presented in any easy selfservice format. This program also contains a range of accessories to increase impulse sales. Ideal for hardware and paint stores.



12 Foot — Increase Your Profits with Professional Sales:

Don't miss out on high margin professional sales. The 12 foot planogram contains a comprehensive selection of professional applicators in addition to a full range of consumer products. Attractive packaging and brush merchandising strips are designed to trade up the serious DIYer and the contractor to top quality professional tools. This program is suitable for lumber yards, building centres and large paint and decorating centres.



16 Foot — Maximize Your Sales with a Full Selection: The 16 foot program is ideal for home centres, lumber yards and large scale paint and decorating centres. This program contains a larger range of consumer and professional products plus a wider selection of specialty products. This program will meet all of your customers' paint applicators needs.



www.simms.ca

Features of a Quality Paint Brush

Tapered filaments produce an even paint flow off the end of the brush. Flagged tips ("Splitends") provide paint retention and a smooth finish.

Stainless steel ferrule that won't rust.

Nickel-plated nails secure ferrule to brush handle.

Chiselled tip forms a sharper edge for more accurate trimming.

Bristle formulation of short lengths for stiffness (paint spreading) and long lengths for tip flexibility resulting in smooth, streakless finish.

Space plugs create a reservoir to hold more paint (less dipping required).

Deep set, solvent resistant epoxy compound for strongest filament hold.

Aluminum inserts reinforce and strengthen the epoxy setting.

Durable, well-balanced and comfortable handle for control and reduced arm fatigue.

Remember, a better quality paint brush will:

- Hold more paint and carry it without dripping
- Provide a smoother paint flow (no dragging) with an even layoff (no dumping)
- Leave no brush streaks or loose bristles on the surface
- Cover more surface with less effort (dipping)
- Leave a beautiful finish
- · Clean-up easier
- · Last longer

"Flagged" close-up



Natural in hog hair Mechanically done with synthetic filaments

Tapered filaments larger at butt than tip

butt t

Flexes more at tip allowing more uniform paint release



www.simms.ca

What Size Brush to Use?

SMALL	15mm-30mm (⁵ /8"-1 ¼")	Ideal for trim work, shutters, corners SMALL and touch-up
MID-SIZE	50mm (2")	Ideal for use on baseboards, mouldings, window sashes, small furniture, cupboards and outside trim
LARGE	75mm (3")	Ideal for large flat surfaces such as cabinets, cupboards, shelves, doors, beams, tables, fences, gutters, stair steps, siding and concrete blocks
LARGE	100mm (4")	Ideal for even larger flat surfaces such as walls, ceilings, floors, paneling, barns, boat hulls and exterior house painting
ANGULAR SASH BRUSHES	38mm-75mm (1 ½"-3")	Bristles cut at angle with longer handles for trimming tight places such as doors, windows, corners and ceilings
	/	There are several types of specialty brushes for tricky applications. Two examples include the
SPECIALTY BRUSHES		Offset Radiator Brush: bent at 45° for painting behind radiators or other awkward spots
		and Foam Brush: which is very good for gloss paints, stains, and urethanes on furniture, trim, hobby and craft projects. (Toss away after use).

Vintage Pro Paint Brushes



www.simms.ca

Vintage® Pro Handcrafted Professional Series

SIZE

THICKNESS

LENGTH OUT

- These superior quality brushes are handcrafted from only the finest materials and have been performance tested by today's dedicated professionals who demand perfection job after job.
- Made from DuPont patented Solid Round Tapered (SRT) filaments and the finest Natural Chinese Hog Bristle blends.

ITEM

DESCRIPTION

- Premium stainless steel ferrules and aluminum inserts.
- · Superbly balanced solid hardwood handles.

SHELF

 Finished with Simms time-tested, handcrafted techniques making Vintage® Pro paint brushes the right tools for the hands of today's professional painters.

WEIGHT/PACK

NO.	DESCRIPTION	mm	in	mm	in	mm	in	PACK	Kg	lb
	nex® nylon/Orel® polyester. Ou r interior and exterior painting.			tic blend	•					
8200	EMERALD	38	1½	13	1/2	61	2 3/8	10	0.8	1 3/4
	ANGULAR SASH	50	2	16	5/8	74	2 7/8	10	1.3	27/8
		64	2 ½	16	5/8	74	27/8	10	1.5	3 1/4
		75	3	17	¹¹ / ₁₆	86	3 3/8	10	2.0	4 3/8
8205	MARBLE MASTER SASH (Beaver Tail Handle)	64	2½	16	5/8	74	27/8	10	1.5	3 1/4
3300	RUBY	38	1½	10	3/8	58	2 1/4	10	0.7	1½
	THIN ANGULAR SASH (Rat Tail Handle)	50	2	11	⁷ / ₁₆	61	$2^{3/8}$	10	0.9	2
	(nat fail flandic)	64 75	2 ½ 3	13 13	½ ½	67 74	2 ⁵ / ₈ 3 ⁷ / ₈	10 10	1.3 1.5	2 ⁷ /8 3 ¹ ⁄4
8700	PALACE	50	2	19	3/4	77	3	10	0.9	2
	WALL BRUSH (Beaver Tail Handle)	75	3	22	7/8	89	3 ½	5	1.0	2 1/4

Finest white China bristle blend available. Excellent for woodwork, furniture and marine applications. For oil paints.

7200 YORKSHIRE ANGULAR SASH 54 2½ 16 ⁵/₈

 $74 2^{7}/_{8}$

1.5 3 1/4





Professional Paint Brushes

www.simms.ca

DESCRIPTION SIZE THICKNESS LENGTH OUT SHELF WEIGHT/PACK MASTER WEIGHT/PACK ITEM PACK PACK mm mm mm in Kg lb Kg



Pro Max®


Handcrafted with unique CHYLYN™ filaments that provide exceptional paint out and coverage. Contractor quality that is ideal for today's medium and heavy bodied low VOC paints. Well balanced wooden handle and stainless steel ferrule.

8070	PRO MAX	38	1 ½	13	1/2	61	23/8	12	0.8	1 3/4	144	15.6	34.3
	ANGULAR SASH	50	2	14	9/16	70	2 3/4	12	1.3	2.8	144	15.6	34.3
	For all paints.	64	2 ½	16	5/8	77	3	12	1.7	3.8	144	20.4	44.9
		75	3	17	11/16	83	3 1/4	12	2.3	5	144	27.6	60.7



Handcrafted with unique CHYLYN™ filaments that provide exceptional paint out and coverage. Contractor quality that is ideal for today's medium and heavy bodied low VOC paints. Well balanced wooden handle and stainless steel ferrule.

8075	PRO MAX	38	1 ½	14	⁹ / ₁₆	61	$2^{3/8}$	10	8.0	1 3/4	100	15.6	34.3
	OVAL SASH	50	2	16	5/8	70	2 3/4	10	1.3	2.8	100	15.6	34.3
	For all paints.	64	2 ½	19	3/4	77	3	10	1.7	3.8	100	20.4	44.9
		75	3	22	7/8	83	3 1/4	10	2.3	5	100	27.6	60.7



8080	PRO MAX XTRA	50	2	14	9/16	77	3	12	1.4	2.9	144	16.8	36.9
	ANGULAR SASH	64	2 ½	16	5/8	83	3 1/4	12	1.9	4.1	144	22.8	50.2
	For all paints.	75	3	17	¹¹ / ₁₆	89	3 ½	12	2.5	5.5	144	30	66



Renaissance®

Unique synthetic blend of NYLYU™ filaments and oval design provide superior pick-up and release for exceptional coverage and finish. Using time tested quality standards, each brush is hand crafted to provide the best precision trim. Firm blend for today's low VOC paints.

5010	RENAISSANCE OVAL SASH For all paints.	38 50 64 75	1½ 2 2½ 3	14 16 19 22	9/16 5/8 3/4 7/8	60 67 70 75	2 ³ / ₈ 2 ⁵ / ₈ 2 ³ / ₄ 3	10 10 10 10	0.7 0.9 1.4 1.6	1.5 2.1 3.1 3.6	100 100 100 100	7 9 14 16	15 21 31 36
5012	RENAISSANCE 2 PIECE	38 64	1½ 2½	14 19	9/16 ³ /4	60 70	2 ³ / ₈ 2 ³ / ₄	10	3.1	6.75	50	15	34

Professional Paint Brushes



www.simms.ca

	0	
Income S		
Design of the state of the stat	Sams	.0

ITEM NO.	DESCRIPTION	ON SIZE mm		THICKN mm	ESS in	LENGTH mm	l OUT in	SHELF PACK	WEIGHT/ Kg	PACK lb	MASTER PACK	WEIGH Kg	T/PACK lb
6015	RENAISSANCE MASTER SASH For all paints.	64 75	21/2	19 22	³ / ₄ ⁷ / ₈	75 83	3 3 1/4	10 10	1.5	3.3 4.3	100 100	15.5 20	34 44
6018	RENAISSANCE SHORT HANDLE For all paints.	50	2	16	5/8	67	2 5/8	10	1	2.3	100	10	23

Eclipse®

Eclipse - Unique synthetic blend of NYLYI™ filaments provide superior pick-up and release for exceptional coverage and finish. Using time tested quality standards, each brush is hand crafted to provide the best precision trim. Firm blend for today's low VOC paints.

,,,,,,	orena for today stow	, ocpu	iiics.										
6020	ECLIPSE	38	1 ½	13	1/2	61	$2^{3/8}$	10	8.0	1 3/4	100	8.2	18
	ANGULAR SASH	50	2	14	9/16	70	2 3/4	10	1.3	$2^{7/8}$	100	11.3	25
	For all paints.	64	2 ½	16	5/8	77	3	10	1.5	3 1/4	100	15.9	35
		75	3	16	5/8	83	3 1/4	10	2	$4^{3}/_{8}$	100	20.4	45
6025	ECLIPSE RT	38	1 ½	10	3/8	58	2 1/4	10	0.7	1.5	100	7	16
	THIN ANGULAR SASH	50	2	11	7/16	64	2 ½	10	1	2.3	100	10	24
	(Rat Tail Handle) For all paints.	64	2 ½	13	1/2	70	23/4	10	1.4	3	100	14	31



Elite®

Superb performing polyester/nylon solid tapered blend. Outstanding pick-up and release. Solid stained hardwood handles. Copper ferrules and aluminum inserts.

	, ,												
8000	ELITE	38	1 ½	13	1/2	61	$2^{3/8}$	10	0.8	1 3/4	100	8.2	18
	ANGULAR SASH	50	2	16	5/8	74	2 7/8	10	1.3	27/8	100	11.3	25
	For all paints.	64	2 ½	16	5/8	74	$2^{7/8}$	10	1.5	3 1/4	100	15.9	35
		75	3	17	11/16	80	3 1/8	10	2.0	4 3/8	100	20.4	45

Superb performing polyester/nylon solid tapered blend. Outstanding pick-up and release. Solid stained hardwood handles. Copper ferrules and aluminum inserts.

8500	ELITE	50	2	19	3/4	77	3	10	0.9	2	100	11.3	25
	WALL BRUSH	75	3	22	7/8	83	3 1/4	5	1.0	2 1/4	50	10.4	23
	For all paints.												







Professional Paint Brushes

www.simms.ca

ITEM DESCRIPTION SIZE THICKNESS LENGTH OUT SHELF WEIGHT/PACK MASTER WEIGHT/PACK NO. mm in mm in PACK Kg Ib PACK Kg Ib



Artizan® / Brant®

High quality white bristle and solid tapered polyester formulation for high quality finishes. Solid stained hardwood handles. Copper ferrules and aluminum inserts.

7000	ARTIZAN	38	1 ½	13	1/2	61	$2^{3/8}$	10	0.8	1 3/4	100	8.2	18
	ANGULAR SASH	50	2	16	5/8	74	27/8	10	1.3	27/8	100	11.3	25
	For oil paints.	64	2 ½	16	5/8	74	2 7/8	10	1.5	3 1/4	100	15.9	35

High quality white bristle and solid tapered polyester formulation for high quality finishes. Solid stained hardwood handles. Copper ferrules and aluminum inserts.

2600	BRANT	30	1 1/4	13	1/2	64	2 ½	10	0.6	1 1/4	100	5.9	13
	WALL BRUSH	50	2	19	3/4	77	3	10	1.2	2 5/8	100	10.4	23
	For oil paints.	75	3	22	7/8	83	3 1/4	5	0.9	2	50	9.1	20
		100	4	22	7/8	89	3 ½	5	1.2	2 5/8	50	10.4	23



Easy-Trim®

Trim work and precision painting has never been easier with the Easy-Trim brush. Thin lightweight handles for easier control. Solid tapered polyester/nylon filament blend. Solid stained hardwood handles. Stainless steel ferrule.

8050	EASY TRIM	38	1 ½	10	3/8	58	2 1/4	10	0.7	1 ½	100	6.8	15
	THIN ANGULAR SASH	50	2	11	⁷ / ₁₆	61	$2^{3/8}$	10	0.9	2	100	9.1	20
	(Rat Tail Handle)	64	2 ½	13	1/2	67	2 5/8	10	1.3	2 7/8	100	13.6	30
	For all paints.												

Short, lightweight handle for extra control. Ideal for painting tight areas.

25

1942 EASYTRIM	38	1 ½	10	3/8	58	2 1/4	20	1.5	3.3	200	15	33
THIN ANGULAR SASH POLYESTER/NYLON	50	2	11	⁷ / ₁₆	61	2 3/8	20	1.6	3 ½	200	16	35
For all paints.												



Pro Select®

8020 PRO SELECT

Best value professional angular sash brushes. Available in both regular and thin spec. Soft solid tapered polyester/nylon filament blend for smooth finishes and excellent coverage.

0.6

13

10

	THIN ANGULAR SASH (Rat Tail Handle) For all paints.	38 50 64	1½ 2 2½	10 11 13	3/8 7/ ₁₆ 1/2	58 61 67	2 ½ 2 ³/8 2 ⁵/8	10 10 10	0.7 0.9 1.3	1½ 2 2 ⁷ / ₈	100 100 100	6.8 9.1 13.6	15 20 30
8030	PRO SELECT ANGULAR SASH For all paints.	38 50 64	1½ 2 2½	13 16 16	½ 5/8 5/8	61 74 74	2 ³ / ₈ 2 ⁷ / ₈ 2 ⁷ / ₈	10 10 10	0.8 1.3 1.5	1 ³ / ₄ 2 ⁷ / ₈ 3 ¹ / ₄	100 100 100	8.2 11.3 15.9	18 25 35
8035	PRO SELECT SHORT HANDLE For all paints.	50 64	2 2½	16 16	⁵ / ₈ ⁵ / ₈	74 74	2 ⁷ / ₈ 2 ⁷ / ₈	10 10	1.3 1.5	2 ⁷ / ₈ 3 ½	100 100	11.3 15.9	25 35



www.simms.ca

ITEM DESCRIPTION SIZE THICKNESS LENGTH OUT SHELF WEIGHT/PACK MASTER WEIGHT/PACK NO. mm in mm in mm in PACK Kg Ib PACK Kg Ib



High quality natural white bristle blend. Solid hardwood handles. Nickel-plated ferrules.

2805 XL 50 2 19 ¾ 83 3¼ 10 1.1 23/8 WALL BRUSH 75 3 22 7/8 89 3½ 5 1.0 2¼

For oil paints.



Golden Touch Superior Performance Series

Unique "Crinkle" polyester/nylon filament blend for a superior painting performance. Solid hardwood handles. Stainless steel ferrules.

1750	WALL BRUSH	30	1 1/4	13	1/2	64	2 ½	10	0.4	¹⁵ / ₁₆	100	4	9 ½
	POLYESTER/NYLON	50	2	19	3/4	70	2 3/4	10	0.8	1 11/16	100	7.9	17 ½
	For all paints.	75	3	22	⁷ / ₈	83	3 1/4	5	0.9	2	50	9.1	20

1974	ANGULAR SASH	25	1	11	⁷ / ₁₆	55	$2^{1}/_{8}$	10	0.4	¹⁵ / ₁₆	100	4	9 ½
	POLYESTER/NYLON	38	1 ½	13	1/2	55	$2^{1}/_{8}$	10	0.7	1 ½	100	6.8	15
	For all paints.	50	2	16	⁵ / ₈	67	$2^{5}/_{8}$	10	0.9	2	100	9.1	20
		64	2 ½	16	⁵ / ₈	74	$2^{7}/_{8}$	10	1.4	3	100	13.6	30



Ultra Grip® Ergonomic Handle Series

Premium Quality

A premium" D.I.Y." line of wall and angular paint brushes with tapered polyester filaments. Stainless steel ferrules. The eye-catching ergonomic handles are constructed of solvent resistant rubber and plastic with "extra grip" grooves at the base for easier holding.

WALL BRUSH	30	1 1/4	13	1/2	58	2 1/4	20	1.1	2 ½	200	11.8	26
POLYESTER	50	2	16	5/8	64	2 ½	20	1.5	3 1/4	200	15.2	33 ½
For all paints.	75	3	19	3/4	77	3	10	1.3	27/8	100	13.6	30
	100	4	22	7/8	83	3 1/4	10	1.6	3 ½	100	16.3	36
ANGULAR SASH	38	1½	13	1/2	55	2 1/8	10	0.9	1 ⁷ /8	100	8.8	19 ½
POLYESTER	50	2	16	5/8	66	2 5/8	10	1.0	2 1/4	100	10.7	23 ½
For all paints.	64	2½	16	5/8	70	2 3/4	10	1.6	3 ½	100	16.3	36
ANGULAR SASH POLYESTER For all paints.	50	2	16	5/8	67	2 5/8	20	2.2	4.8	200	22	48
	POLYESTER For all paints. ANGULAR SASH POLYESTER For all paints. ANGULAR SASH	POLYESTER 50 For all paints. 75 100 ANGULAR SASH 38 POLYESTER 50 For all paints. 64 ANGULAR SASH 50	POLYESTER 50 2 For all paints. 75 3 100 4 ANGULAR SASH 38 1½ POLYESTER 50 2 For all paints. 64 2½ ANGULAR SASH 50 2	POLYESTER 50 2 16 For all paints. 75 3 19 100 4 22 ANGULAR SASH 38 1½ 13 POLYESTER 50 2 16 For all paints. 64 2½ 16 ANGULAR SASH 50 2 16	POLYESTER For all paints. 75 3 19 34 100 4 22 7/8 ANGULAR SASH POLYESTER For all paints. 64 2½ 16 5/8 ANGULAR SASH 50 2 16 5/8 ANGULAR SASH 50 2 16 5/8	POLYESTER For all paints. 75 3 19 34 77 100 4 22 7/8 83 ANGULAR SASH POLYESTER 50 2 16 5/8 66 For all paints. 64 2½ 16 5/8 66 ANGULAR SASH 50 2 16 5/8 66 For all paints. 64 2½ 16 5/8 67	POLYESTER For all paints. 75 3 19 34 77 3 100 4 22 7/8 83 31/4 ANGULAR SASH POLYESTER For all paints. 64 21/2 7/8 83 31/4 255 21/8 66 25/8 For all paints. 64 21/2 16 5/8 66 25/8 70 23/4 ANGULAR SASH 50 2 16 5/8 67 25/8	POLYESTER For all paints. 50 2 16 5/8 64 2½ 20 75 3 19 34 77 3 10 100 4 22 7/8 83 3¼ 10 ANGULAR SASH POLYESTER 50 2 16 5/8 66 25/8 10 For all paints. 64 2½ 16 5/8 70 2 3¼ 10 ANGULAR SASH 50 2 16 5/8 67 2 5/8 20	POLYESTER For all paints. 50 2 16 5/8 64 2½ 20 1.5 75 3 19 3¼ 77 3 10 1.3 100 4 22 7/8 83 3¼ 10 1.6 ANGULAR SASH 38 1½ 13 ½ 55 2½ 10 0.9 POLYESTER 50 2 16 5/8 66 25/8 10 1.0 For all paints. 64 2½ 16 5/8 70 2¾ 10 1.6 ANGULAR SASH 50 2 16 5/8 67 25/8 20 2.2	POLYESTER For all paints. 50 2 16 5/8 64 2½ 20 1.5 3¼ 75 3 19 3¼ 77 3 10 1.3 27/8 100 4 22 7/8 83 3¾ 10 1.6 3½ ANGULAR SASH 38 1½ 13 ½ 55 2½ 8 10 0.9 17/8 POLYESTER 50 2 16 5/8 66 25/8 10 1.0 2¼ For all paints. 64 2½ 16 5/8 70 2¾ 10 1.6 3½ ANGULAR SASH 50 2 16 5/8 67 25/8 20 2.2 4.8	POLYESTER 50 2 16 5/8 64 2½ 20 1.5 3¼ 200 For all paints. 75 3 19 ¾ 77 3 10 1.3 2½8 100 100 4 22 7/8 83 3¼ 10 1.6 3½ 100 ANGULAR SASH POLYESTER FOR ALI POLYESTER	POLYESTER For all paints. 50 2 16 5/8 64 2½ 20 1.5 3¼ 200 15.2 75 3 19 ¾ 77 3 10 1.3 2½ 100 13.6 100 4 22 7/8 83 3¼ 10 1.6 3½ 100 16.3 ANGULAR SASH 38 1½ 13 ½ 55 2½ 10 0.9 1½ 100 10.7 For all paints. 64 2½ 16 5/8 66 25/8 10 1.6 3½ 100 16.3 ANGULAR SASH 50 2 16 5/8 70 2¾ 10 1.6 3½ 100 16.3 ANGULAR SASH 50 2 16 5/8 67 25/8 20 2.2 4.8 200 22





www.simms.ca

ITEM	DESCRIPTION	SIZE		THICKN	ESS	LENGTH	OUT	SHELF	WEIGHT/	PACK	MASTER	WEIGHT/	PACK
NO.		mm	in	mm	in	mm	in	PACK	Kg	lb	PACK	Kg	lb



Premier Quality

Best quality for the "DIY"er. Top quality finishes, fast and easy. Injection-moulded plastic handles. Brass ferrules.

1930	ANGULAR SASH	38	1 ½	13	1/2	55	2 1/8	10	0.8	1 3/4	100	8.2	18
	POLYESTER/NYLON	50	2	16	5/8	66	2 5/8	10	0.9	2	100	9.1	20
	For all paints.	64	2 ½	16	5/8	74	2 7/8	10	1.4	3	100	13.6	30
2930	ANGULAR SASH	38	1½	13	1/2	55	2 1/8	10	0.8	1 3/4	100	8.2	18
	BRISTLE/POLYESTER	50	2	16	5/8	66	2 5/8	10	0.9	2	100	9.1	20
	For oil paints.	64	2 ½	16	5/8	74	2 7/8	10	1.4	3	100	13.6	30
		75	3	17	¹¹ / ₁₆	74	2 7/8	10	2.0	$4^{3}/_{8}$	100	20.0	44
1400	REGAL	30	1 1/4	13	1/2	58	2 1/4	20	1.1	2 ½	200	11.3	25
	POLYESTER/NYLON	50	2	16	5/8	64	2 ½	20	1.5	3 1/4	200	15.0	33
	For all paints.	75	3	19	3/4	77	3	10	1.3	27/8	100	13.2	29
		100	4	22	7/8	83	3 1/4	10	1.6	3 ½	100	15.9	35
2400	BLACKBIRD	30	1 1/4	13	1/2	64	2 ½	20	1.1	2 3/8	200	11.3	25
	BRISTLE/POLYESTER	50	2	16	5/8	70	2 3/4	20	1.8	4	200	18.1	40
	For oil paints.	75	3	19	3/4	77	3	10	1.6	3 ½	100	15.9	35
		100	4	19	3/4	83	3 1/4	10	2.0	$4^{3}/_{8}$	100	20.0	44



General Purpose

Better quality, moderately priced for general household interior and exterior painting. Injection-moulded plastic handles.

1300	SATELLITE POLYESTER For all paints.	30 50 75 100	1¼ 2 3 4	11 15 19 19	7/ ₁₆ 9/ ₁₆ 3/ ₄ 3/ ₄	58 64 70 77	21/4 21/2 23/4 3	20 20 10 10	1.1 1.7 1.4 1.8	2 ³ / ₈ 3 ³ / ₄ 3 4	200 200 100 100	11.8 17.8 14.6 19.5	26 39 ¼ 32 ¼ 43
2300	STREAMLINE BRISTLE/POLYESTER For oil paints.	30 50 75 100	1¼ 2 3 4	11 15 19 19	7/16 9/16 3/4 3/4	58 64 70 77	21/4 21/2 23/4 3	20 20 10 10	1.1 1.8 1.6 2.0	2 ³ / ₈ 4 3 ½ 4 ³ / ₈	200 200 100 100	11.8 18.6 16.4 20.9	26 41 36 46



Econo Grade

Good quality, economically priced for toss away painting jobs where a quality finish is not a concern. Injection-moulded plastic handles.

1200	DIPLOMAT POLYESTER For all paints.	30 50 75 100	1¼ 2 3 4	10 13 13 16	3/8 1/2 1/2 5/8	51 58 64 70	2 2½ 2½ 2¾	20 20 10 10	0.8 1.5 1.1 1.6	1¾ 3¼ 2³/ ₈ 3½	200 200 100 100	8.2 14.8 11.6 17.8	18 32½ 25½ 39
2200	THRUSH NATURAL BRISTLE For oil paints.	30 50 75	1 ¼ 2 3	10 13 13	3/ ₈ 1/ ₂ 1/ ₂	51 58 64	2 2 ¼ 2 ½	20 20 10	0.8 1.6 1.1	1 ³ / ₄ 3 ¹ / ₂ 2 ³ / ₈	200 200 100	8.4 16.4 11.7	18 ½ 36 25 ¾
		100	4	16	5/8	70	2 3/4	10	1.7	3 3/4	100	18.0	39 ½



www.simms.ca

ITEM	DESCRIPTION	SIZE		THICKN	ESS	LENGTH	0UT	SHELF	WEIGHT/	PACK	MASTER	WEIGHT/	'PACK
NO.		mm	in	mm	in	mm	in	PACK	Kg	lb	PACK	Kg	lb

Utility Grade

9905 CHIP 3 PACK

50

Low priced, ideal for "touch-up" jobs around the home, industrial cleaning uses and adhesive applications. Injection-moulded plastic handles.

,	p p												
1100	STAR	15	5/8	8	⁵ / ₁₆	45	1 3/4	20	0.3	2/3	200	3.5	7 ½
	POLYESTER	30	1 1/4	10	3/8	45	1 3/4	20	0.7	1 ½	200	7.3	16
	For all paints.	50	2	10	3/8	45	1 3/4	20	1.1	$2^{3}/8$	200	11.8	26
		75	3	13	1/2	45	1 3/4	10	0.9	2	100	9.9	20
		100	4	13	1/2	51	2	10	1.1	2 ½	100	11.8	26
2100	REDBIRD	15	5/8	7	1/4	45	1 3/4	20	0.3	2/3	200	3.5	7 ½
	NATURAL BRISTLE	30	1 1/4	8	⁵ / ₁₆	45	1 3/4	20	0.7	1 ½	200	7.3	16
	For oil paints.	50	2	10	3/8	45	1 3/4	20	1.1	$2^{3/8}$	200	11.8	26
		75	3	13	1/2	45	1 3/4	10	0.9	2	100	8.9	19 ½
		100	4	13	1/2	51	2	10	1.1	2 ½	100	12.3	27
Low p	riced for gluing, touc	h-up, chi	p remov	al arou	nd mach	ines an	d other i	industri	al appli	ications.	Wood I	handles	
9900	CHIP	13	1/2	7	1/4	38	1½	36	0.3	2/3	864	7.2	15 ⁷ /8
	NATURAL BRISTLE	25	1	8	⁵ / ₁₆	38	1 ½	36	0.6	1 1/3	864	14.4	31 ¾
		50	2	9	11/32	38	1 ½	24	0.9	2	432	16.2	35 3/4
		75	3	10	3/8	38	1 ½	24	1.4	3	432	25.2	55 ½
		100	4	10	3/8	45	1 3/4	12	0.9	2	288	21.6	47 5/8

9 11/32

38

1 ½

12 1.25

2.75

144

13.9

30.5





Special Purpose Brushes

www.simms.ca

WEIGHT/PACK **ITEM** DESCRIPTION SIZE **THICKNESS** LENGTH OUT **SHELF** WEIGHT/PACK MASTER PACK PACK mm in mm mm in Kg lb Kg



Specialty Applications


Extra thick and longer length filaments hold more paint and stain for greater coverage. Handle is threaded for use with standard extension poles to prevent bending over and straining to reach high places.

1960	XL	100	4	37.5	1 ½	80	3 1/8	6	1.5	3.3	36	9	19.8
	STAIN & PAINT POLYESTER	125	5	37.5	1½	80	3 1/8	6	1.65	3.6	36	9.9	21.8



Extra thick brush for more holding capacity. Ideal for stain and water sealer applications on decks, fences and siding. Plastic handle is threaded for use with standard extension pole to prevent bending over and straining to reach high places.

2957	STAIN	100	4	30	1 1/4	40	1 5/8	10	0.9	2	60	5.7	12 ½
	NATURAL BRISTLE	140	5 ½	40	1 5/8	40	1 5/8	10	2.6	5.7	60	16	35 3/16



1904	STAIN	75	4	16	5/8	76	3	12	1	2.2	60	5.4	12
	POLYESTER	100	4	19	3/4	83	31/4	12	1.3	2.9	60	6.5	14.3
2951	STAIN	75	3	16	5/8	64	2 ½	25	2.1	$4^{5/8}$	100	8.4	18 ½
	BRISTI F/POLYFSTFR	100	4	16	5/ ₈	70	2 3/4	15	16	3 1/2	60	6.4	14

2966	STAIN	75	3	19	3/4	76	3	25	2.7	6	100	13.6	30
	WOOD HANDLE BRISTI F/POLYESTER	100	4	22	7/8	76	3	25	3.2	7	100	16.4	36



Excellent oval trim brush. Artist brush control for very fine work. Ideal for industrial cleaning use. Wood Handle.

2651	ONYX SASH	#2	13	1/2	40	1 5/8	24	0.5	1
	NATURAL	#4	16	5/8	45	1 3/4	12	0.7	1 ½
	BRISTLE	#6	19	3/4	51	2	12	0.5	1
		#8	19	3/4	58	2 1/4	12	0.7	1 ½

45° angle at the shoulder. Designed to make painting easier behind radiators, pipes, toilets and other hard to reach places. Injection-moulded plastic handle.

2940 OFFSET 38 1½ 8 5/16 45 1¾ 10 0.7 1½ 100 6.8 15 RADIATOR NATURAL BRISTLE

2

Paste and glue brush. Ideal for applying PVC cement. One-piece metal ferrule.

139 ACID SWAB 11 7/16 33 1 5/16 144 0.9 NATURAL BRISTLE

Special Purpose Brushes

Inexpensively priced, single-use foam painters for small touch-up jobs around the home.



www.simms.ca

ITEM	DESCRIPTION	SIZE		THICKN	ESS	LENGTH	OUT	SHELF	WEIGHT/I	PACK	MASTER	WEIGHT/	'PACK
NO.		mm	in	mm	in	mm	in	PACK	Kg	lb	PACK	Kg	lb

	vith all paints, stai ecommended for sh							andles.					
3995	FOAM	25	1	14	⁹ / ₁₆	51	2	48	0.5	1	864	4.9	11
		50	2	14	9/16	62	2 7/16	48	0.7	1½	480	4.7	10 ½
		75	3	14	9/16	62	2 7/16	36	0.7	1½	360	4.6	10
		100	4	14	9/16	73	2 7/16	24	0.7	1½	192	3.5	7.8
3996	FOAM 25/50/75mm	3 Piece (1"/2"/3						20	1.2	2 5/8	120	4.1	9
8510	FOAM 50mm 2" 10 Piece	50	2	14	5/16	62	2 7/16	24	3.7	8.1	72	11.8	26
8512	FOAM 75mm 3" 10 Piece	75	3	14	5.16	62	2 7/16	24	4.7	10.3	72	14.8	32.6



White Wash / Masonry Brushes

For applying roofing tar and foundation coatings. Wood block. Use with tapered extension pole. (Simms #6829)

5920 JUNCO ROOFING 175 7 38 1½ 64 2½ 20 6.8 15

WHITE TAMPICO FIBRE

For applying white wash, wallpaper paste, shingle stains, foundation coatings, roof and rain gutter patching. Injection-moulded plastic handle.

5971 CONDOR 100 4 19 ¾ 67 2 5/8 20 2.2 4 7/8 WHITE TAMPICO FIBRE

Excellent for applying foundation coatings and sealers. Injection-moulded plastic handle.

5982 KALSOMINE 175 7 19 ¾ 67 2 5/8 20 3.4 7 ½ WHITE TAMPICO FIBRE





Special Purpose Brushes

www.simms.ca

DESCRIPTION ITEM SIZE THICKNESS LENGTH OUT SHELF WEIGHT/PACK MASTER WEIGHT/PACK PACK PACK Kg mm mm mm in lb Kg



Wire Scratch Brushes

Hobby & Craft Brushes

General purpose wire scratch brushes for surface preparation work. For removing flaking paint, dirt and grease from wood and metal surfaces. High quality round steel wire and wooden handles.

6300	FLAT BACK RECTANGULAR 6-Row	181	7 1/8	53	2 3/32	25	1	20	3.6	8	100	18.0	39 ½
6320	SHOE HANDLE 4-Row	257	10 ¹ / ₈	25	1	25	1	20	2.9	6 3/8	100	14.5	32
6330	LONG CURVE HANDLE 3-Row	349	13 ¾	25	1	25	1	20	2.7	6	100	13.5	29 ¾
6340	LONG CURVE HANDLE 4-Row	349	13 ¾	30	1 ³ / ₁₆	25	1	20	3.7	8 1/4	100	18.5	40 ¾
6350	HANDLE WITH SCRAPER 5-Row	286	11 1/4	48	17/8	25	1	10	1.8	4	100	18.0	39 ½



146

HOBBY & CRAFT

FINE RED SABLE #4, #5, #6

ITEM NO.	DESCRIPTION	SIZE	SHELF PACK	WEIGHT/F Kg	PACK Ib	MASTER PACK	WEIGHT/I Kg	PACK Ib
	omically priced brush sets (blister c ercraft, framework and sign paintin		se with art, ho	obby and cr	aft projed	cts includin	g ceramics,	figurines
141	HOBBY & CRAFT FINE RED SABLE #1, #2, #3	3 Piece	12	0.4	0.9	144	5	11
142	HOBBY & CRAFT UTILITY ASSORTMENT BLACK BRISTLE FLAT ½" CAMEL HAIR FLAT ½", ½" CAMEL HAIR ROUND #2, #4	5 Piece	12	0.5	1.1	144	6	13.2
143	HOBBY & CRAFT FINE RED SABLE #3/0, #2/0, #0	3 Piece	12	0.4	0.9	144	5	11
144	HOBBY & CRAFT FINE RED SABLE #5/0, #0, #4, WHITE BRISTLE #10	4 Piece	12	0.5	1.1	144	6	13.2
145	HOBBY & CRAFT FINE RED SABLE ¼", 3/s", ½"	3 Piece	12	0.5	1.1	144	6	13.2

3 Piece

12

0.4

0.9

144

5

11

Promotional Paint Brushes



www.simms.ca

ITEM	DESCRIPTION	SIZ	SIZE		THICKNESS		LENGTH OUT		WEIGHT/PACK		MASTER			-
NO.		mm	in	mm	in	mm	in	PACK	Kg	lb	PACK	Kg	lb	
1064	DDO CELECT	20	1 1/	10	3/	Γ0	3 1/	10	2.2	7 1/	40	157	24.5	
1964	PRO SELECT ANGULAR SASH	38 50	1½	10 16	3/ ₈ 5/ ₈	58 74	2 ½ 2 ½	10	3.3	7 1/4	40	15.7	34.5	
	3 PIECE	64	2 ½	13	1/2	67	2 5/8							
	For all paints. (Wood Handle)													



1400	REGAL WALL BRUSH 10 PIECE POLYESTER/NYLON	2x 13 3x 25 3x 38 2x 50	½ 1 1½ 2	9 11 12 16	15/32	51 55 58 64	2 2 2 2	20
	(Plastic Handle)	2x 50	2	16	5/8	64	2	



1943 EASY-TRIM 38 1½
ANGULAR BRUSH 50 2
2 PIECE POLYESTER/
NYLON (Wood
Handle)

38 $1\frac{1}{2}$ 10 $\frac{3}{8}$ 58 $2\frac{1}{4}$ 20 3.6 8.0 100 18.2 50 2 11 $\frac{7}{16}$ 61 $2\frac{3}{8}$

10

22

40



1459 ULTRA GRIP
ANGULAR &
WALL BRUSH
2 PIECE
POLYESTER
(Ergonomic Rubber
Handle)

38 1½ 13 ½ 55 2½ 10 1.6 3½ 100 16.3 36 50 2 16 5/8 64 2½





SIMMS Promotional Paint Brushes

	/—													
www.simms.ca	ITEM NO.	DESCRIPTION	SIZE mm	in	THICKN mm	NESS in	LENGT mm	H OUT in	SHELF PACK	WEIGHT Kg	/PACK lb	MASTER PACK	WEIGH Kg	Γ/PACK Ib
	1958	STAIN & WATER PROOFING SEALANTS WALL BRUSH 2 PIECE POLYESTER (Plastic Handle)	50 100	2 4	14 19	9/16 3/4	64 88	2½ 3½	12	3.0	6 ⁵ /8	48	13.0	28 ¾
	9817	ANGULAR & WALL BRUSH 4 PIECE POLYESTER, (Wood Handle)	25 50 75 100	1 2 3 4	11 14 17 20	7/16 9/16 11/16 13/16	58 70 85 102	2¼ 2¾ 3 ⁵ / ₁₆ 4	12	3.4	71/2	48	14.1	31
	9812	ANGULAR & WALL BRUSH 4 PIECE POLYESTER (Plastic Handle)	25 38 50 75	1 1½ 2 3	12 13 14 17	15/ ₃₂ 1/ ₂ 9/ ₁₆ 11/ ₁₆	55 58 64 77	2 ½ 2 ½ 2 ½ 3	12	2.7	6	48	10.9	24
	9809	ANGULAR SASH POLYESTER (Plastic Handle)	38 50	1½ 2	13 14	½ ⁹ /16	58 64	2 ¼ 2 ½	25 20	1.2 1.3	2 ³ ⁄ ₄ 2 ⁷ / ₈	350 360	17.1 23.7	37 ¾ 52 ¼
	9810	WALL BRUSH POLYESTER (Plastic Handle)	25 50 75	1 2 3	12 14 17	¹⁵ / ₃₂ ⁹ / ₁₆ ¹¹ / ₁₆	55 64 77	2 ¹ / ₈ 2½ 3	32 20 12	1.2 1.0 1.1	2 ¾ 2 ¼ 2 ½	480 360 120	18.1 18.1 11.3	40 40 25

Promotional Paint Brushes



ITEM NO.	DESCRIPTION	SIZ mm	E in	THICK mm	NESS in	LENGT mm	H OUT in	SHELF PACK	WEIGH Kg	T/PACK Ib	MASTER PACK	WEIGI Kg	HT/PACK Ib	www.simms.ca
9813	ANGULAR & WALL BRUSH 2 PIECE POLYESTER (Plastic Handle)	38 50	1½ 2	13 14	½ 9/16	58 64	2 ¼ 2 ½	12	1.5	3 3/8	48	6.8	15	
9815	WALL BRUSH 3 PIECE POLYESTER (Wood Handle)	25 50 75	1 2 3	12 14 17	¹⁵ / ₃₂ ⁹ / ₁₆ ¹¹ / ₁₆	50 64 74	2 2½ 2½ 27/8	12	2.1	4 ⁵ /8	72	12.6	27 ¾	
9821	WALL BRUSH 3 PIECE POLYESTER (Plastic Handle)	25 50 75	1 2 3	12 14 17	¹⁵ / ₃₂ ⁹ / ₁₆ ¹¹ / ₁₆	55 64 77	2 ½ 2 ½ 3	12	2.2	4 1/2	72	13.4	29 ½	
9822	WALL BRUSH 4 PIECE POLYESTER (Plastic Handle)	25 38 50 75	1 1½ 2 3	12 13 14 17	15/ ₃₂ 1/ ₂ 9/ ₁₆ 11/ ₁₆	55 58 64 77	2 ½ 2 ½ 2 ½ 3	12	2.3	5	48	10	22	
9915	WALL BRUSH 3 PIECE BRISTLE/ POLYESTER (Wood Handle)	25 50 75	1 2 3	12 14 16	⁷ /16 ⁹ /16 ⁵ /8	58 64 70	2 ¼ 2 ½ 2 ¾ 2 ¾	12	2.5	51/2	72	15 ½	34	





Features of a Quality Roller Refill

Professional polypropylene core is made with two extra thick layers creating an extremely rigid core. Core is impervious to strong solvent based coatings, so can be cleaned and reused several times. Reinforced liquid polypropylene core and fabric are fused as one, creating a strong, solvent resistant paint roller.

Top quality rollers undergo extra combing and vacuuming to eliminate seams and loose fibers.

Superior quality synthetic fabric blend formulations include: softness for smooth finishes and high density for maximum paint carrying (less paint loading).

Top quality fabrics will release paint evenly and not mat.

Beveled (tapered) ends prevent splattering and paint build up on edges. Makes "cutting in" easier.

WHAT PI	LE TO USE?	Depends on the gloss (sheen) of the paint and the roughness (texture) of the surface						
PILE HEIGHT	SURFACE TEXTURE							
6mm (¼")	SMOOTH SURFACES:	Untextured plaster, drywall, wood, metal doors						
10mm (³/8")	SEMI-SMOOTH SURFACES:	Light or no texture plaster, drywall, wood, most walls and ceilings						
13mm-15mm (½")	SEMI-ROUGH SURFACES:	Light stucco or textured surfaces (sand finishes), ceiling tiles, semi-rough plaster or wood surfaces.						
19mm-25mm (¾"-1")	ROUGH SURFACES:	Concrete block, textured ceilings, rough plaster and stucco, masonry floors, asphalt driveway sealers, roof coatings and chain link fences						
31mm (1 ¼")	EXTRA ROUGH SURFACES:	Concrete block, brick, deep textures or stucco, decorative plaster, chain link fences and roof coatings						



www.simms.ca

ITEM SURFACE DESIGNATION SIZE PILE DEPTH DIAMETER SHELF WEIGHT/PACK NO. mm in mm in PACK Kg II

Vintage® Pro Handcrafted Professional Series

- These high quality roller refills are hand assembled, finished and tested with a caring attention to detail so that professional painters can count on a smooth, consistent and superior roller performance, time after time.
- Advanced fabric blends undergo extra cleaning and finishing to provide the ultimate painting results.
- Perfect bevelled ends for finer finishes.
- Cores resistant to water and strong solvents.
- Full selection of pile heights for every surface.

Sure-Fine®

Woven, shed-resistant three fibre blend formulation with identifying blue & gold pinstripes.

Holds more paint than regular woven rollers. Effortless application and superior release for "lint free" paint application. The ultimate professional fine finishing roller. 6mm pile ideal for semi-gloss and high gloss paints.

10mm pile ideal for flat, low sheen and semi-gloss paints. 15mm pile for use with flat and low sheen paints.

19mm pile for flat paints. Heavy-duty polypropylene core, Ideal for today's low VOC paints.

	' ' ' ' ' ' ' ' '	,		•	'	,				
R-820	SMOOTH	240	9 ½	6	1/4	38	1 ½	30	2.6	5 3/4
R-821	SMOOTH & SEMI-SMOOTH	240	9 ½	10	3/8	38	1 ½	25	2.4	5 1/4
R-822	SEMI-SMOOTH & SEMI-ROUGH	240	9 ½	13	1/2	38	1 ½	25	2.4	5 1/4
R-823	SEMI-ROUGH & ROUGH	240	9 ½	19	3/4	38	1 ½	16	1.8	4





Elite Professional Plus

"Elite Professional Plus" High density, shed-resistant woven fabric provides a fine lint free finish. Paint pick-up and release is superior to regular woven rollers making painting easier. 6mm pile ideal for semi-gloss and high gloss paints. 10mm pile ideal for flat, low sheen and semi-gloss paints. 15mm pile for use with flat and low sheen paints. 19mm pile for flat paints. Solvent resistant polypropylene core. Ideal for today's low VOC paints.

R-780 R-781 R-782 R-783	SMOOTH SMOOTH & SEMI-SMOOTH SEMI-SMOOTH & SEMI-ROUGH SEMI-ROUGH & ROUGH	240 240 240 240	9½ 9½ 9½ 9½ 9½	6 10 15 19	1/ ₄ 3/ ₈ 1/ ₂ 3/ ₄	38 38 38 38	1½ 1½ 1½ 1½	30 30 25 20	2.3 2.6 2.1 1.8	5 5 ³ / ₄ 4 ⁵ / ₈ 4
4728 4729	SMOOTH & SEMI-SMOOTH 2 Pack SEMI-SMOOTH & SEMI-ROUGH 2 Pack	240 240	9½ 9½	10 15	³ / ₈	38 38	1½ 1½	12 12	1.3 1.5	2 3/4





www.simms.ca

ITEM SURFACE DESIGNATION SIZE PILE DEPTH DIAMETER SHELF WEIGHT/PACK NO. mm in mm in pack kg ib



Golden Touch Superior Performance Series

"Microfiber Technology" fabric blend for a superior painting performance. Provides extremely fine, consistent finishes when rolling in either direction with low splatter and low lint application. Paint pick up and coverage is excellent along with being very durable. 6mm pile ideal for semi-gloss and high gloss paints. 10mm pile ideal for flat, low sheen and semi-gloss paints. 15mm pile for use with flat and low sheen paints and 19mm pile recommended for flat paints. Solvent resistant polypropylene core.

,	1 /1 1/									
R-700	SM00TH	240	9 ½	6	1/4	38	1 ½	30	2.5	5 ½
R-701	SMOOTH & SEMI-SMOOTH	240	9 ½	10	3/8	38	1 ½	30	2.5	5 ½
R-702	SEMI-SMOOTH & SEMI-ROUGH	240	9 ½	15	1/2	38	1 ½	25	2.0	4 1/2
R-703	SEMI-ROUGH & ROUGH	240	9 ½	19	3/4	38	1 ½	20	2.0	4 ½
4709	SMOOTH & SEMI-SMOOTH 2 Pack	240	9 ½	10	3/8	38	1½	12	1.3	2 3/4
4710	SEMI-SMOOTH & SEMI-ROUGH 2 Pack	240	9 ½	15	1/2	38	1½	12	1.5	3 1/4
4711	SMOOTH & SEMI-SMOOTH 3 Pack	240	9 ½	10	3/8	38	1 ½	24	6.1	13 ½
4712	SEMI-SMOOTH & SEMI-ROUGH 3 Pack	240	9 ½	15	1/2	38	1 ½	23	6	13.3
4811	SMOOTH & SEMI-SMOOTH 10 Pack	240	9 ½	10	3/8	38	1½	10	6.8	15
4812	SEMI-SMOOTH & SEMI-ROUGH 10 Pack	240	9 ½	15	1/2	38	1½	10	7.3	16



Eclipse

German engineered microfiber technology. Superior coverage and high quality lint free finishes. For today's paints. 6mm pile ideal for semi-gloss and high gloss paints. 10mm pile ideal for flat, low sheen and semi-gloss paints. 13mm pile for use with flat and low sheen paints. 19mm pile recommended for flat paints. Solvent resistant polypropylene core.

R-510	SMOOTH	240	9 ½	6	1/4	38	1 ½	30	1.8	4
R-511	SMOOTH & SEMI-SMOOTH	240	9 ½	10	3/8	38	1 ½	30	2	4.5
R-512	SEMI-SMOOTH & SEMI-ROUGH	240	9 ½	13	1/2	38	1 ½	25	1.7	3.75
R-514	SEMI-ROUGH & ROUGH	240	9 ½	19	3/4	38	1½	20	1.8	4
4511	SMOOTH & SEMI-SMOOTH 3 Pack	240	9 ½	10	3/8	38	1 ½	24	4.9	10.8
4512	SEMI-SMOOTH & SEMI-ROUGH 3 Pack	240	9 ½	13	1/2	38	1½	23	4.7	10.4
4911	SMOOTH & SEMI-SMOOTH 10 Pack	240	9 ½	10	3/8	38	1½	10	6.8	15
4912	SEMI-SMOOTH & SEMI-ROUGH 10 Pack	240	9 ½	13	1/2	38	1½	10	7.3	16



www.simms.ca

ITEM SURFACE DESIGNATION SIZE PILE DEPTH DIAMETER SHELF WEIGHT/PACK NO. mm in mm in PACK Kg II

Renaissance

Constructed with the same NYLY Technology found in our Renaissance brushes, this unique synthetic hybrid blend produces high quality lint free finishes and the best coverage versus other lint free rollers in the market. A true production roller your painters will thank you for. 6mm pile ideal for semi-gloss and high gloss paints. 10mm pile ideal for flat, low sheen and semi-gloss paints. 13mm pile for use with flat and low sheen paints. 19mm pile recommended for flat paints. Solvent resistant polypropylene core.

R-790	SMOOTH	240	9 ½	6	1/4	38	1 ½	30	2	4.5
R-791	SMOOTH & SEMI-SMOOTH	240	9 ½	10	3/8	38	1 ½	25	1.9	4.25
R-792	SEMI-SMOOTH & SEMI-ROUGH	240	9 ½	13	1/2	38	1 ½	20	1.6	3.5
R-793	SEMI-ROUGH & ROUGH	240	9 ½	19	3/4	38	1 ½	20	1.8	4
4752	SMOOTH & SEMI-SMOOTH 3 Pack	240	9 ½	10	3/8	38	1½	24	5	11
4753	SEMI-SMOOTH & SEMI-ROUGH 3 Pack	240	9 ½	13	1/2	38	1 ½	23	5.4	11.8
4791	SMOOTH & SEMI-SMOOTH 10 Pack	240	9 ½	10	3/8	38	1 ½	10	7.7	17
4792	SEMI-SMOOTH & SEMI-ROUGH 10 Pack	240	9 ½	13	1/2	38	1½	10	8	17.5



Professional

Polylamb®. High density, knitted polyester and nylon fabric blend. High paint carrying capacity. Ideal for applications where coverage is required such as drywall priming, painting on particle board, plywood, masonry surfaces and other exterior jobs. 6mm pile for all flat, low sheen and semi-gloss latex paints or flat and low sheen oil paints. 10mm for flat and low sheen paints. 13mm to 31mm piles for all flat paints. Solvent resistant polypropylene core.

mat an	it and for sheen paints. Is thin to string piles for all hat paints, softene resistant polypropyrene core.										
R-678	SMOOTH	240	9 ½	6	1/4	38	1 ½	30	2.3	5	
R-679	SMOOTH & SEMI-SMOOTH	240	9 ½	10	3/8	38	1 ½	25	2.1	$4^{5/8}$	
R-680	SEMI-ROUGH	240	9 ½	13	1/2	38	1 ½	20	1.8	4	
R-681	SEMI-ROUGH	240	9 ½	19	3/4	38	1 ½	16	1.4	3	
R-683	ROUGH	240	9 ½	31	1 1/4	38	1 ½	16	1.8	4	



R-669	SMOOTH & SEMI-SMOOTH 10 Pack	240	9 ½	10	3/8	38	1½	10	8.4	18 ½
R-670	SEMI-ROUGH 10 Pack	240	9 ½	13	1/2	38	1 ½	10	9.1	20
R-671	SEMI-ROUGH 10 Pack	240	9 ½	19	3/4	38	1½	10	6.8	15





www.simms.ca

ITEM SURFACE DESIGNATION SIZE PILE DEPTH SHELF WEIGHT/PACK DIAMETER PACK mm in mm in mm in Kg lb









General Purpose

Better quality knitted polyester fabric. Moderately priced. Excellent coverage. 6mm pile for all flat, low sheen and semi-gloss latex paints or flat and low sheen oil paints. 10mm for flat and low sheen paints. 13mm to 31mm piles for all flat paints. Solvent resistant polypropylene core.

R-150	SMOOTH	190	7 ½	6	1/4	38	1 ½	30	1.5	3 1/4
R-120	SMOOTH & SEMI-SMOOTH	190	7 ½	10	3/8	38	1½	25	1.4	3
R-151	SMOOTH	240	9 ½	6	1/4	38	1½	30	2.1	4 ⁵ / ₈
R-121	SMOOTH & SEMI-SMOOTH	240	9 ½	10	3/8	38	1 ½	25	1.8	4
R-175	SEMI-ROUGH	240	9 ½	13	1/2	38	1 ½	20	1.6	3 ½
R-177	SEMI-ROUGH	240	9 ½	19	3/4	38	1 ½	16	1.4	3
R-179	ROUGH	240	9 ½	31	1¼	38	1 ½	16	1.6	3 ½
4704	GENERAL PURPOSE Three Pack	240	9 ½	10	3/8	38	1½	24	4.2	91/4





www.simms.ca

ITEM	SURFACE DESIGNATION	SIZE			PILE DEPTH		DIAMETER		WEIGHT/PACK	
NO.		mm	in	mm	in	mm	in	PACK	Kg	lb

Econo Grade

Good quality knitted polyester fabric. Excellent for flat latex paints on surfaces where a fine finish is not required. Solvent resistant polypropylene core.

5011 6116 1 6515	and polypropyrene core.									
R-161 R-456 (2 pack)	SMOOTH & SEMI-SMOOTH SMOOTH & SEMI-SMOOTH	240 240	9 ½ 9 ½	10 10	3/ ₈ 3/ ₈	38 38	1 ½ 1 ½	25 12	1.6 1.6	3 ½ 3 ½
4553	ECONO FOUR PACK	240	9 ½	10	3/8	38	1½	18	3.2	7 1/8
4562	ECONO SIX PACK	240	9 ½	10	3/8	38	1½	12	2.1	4 ⁵ / ₈
C-256	CAGE FRAME & 2 ROLLER REFILLS FCONO	240	9 ½	10	3/8	38	1½	20	6.8	15



Specialty

100% nylon fabric. Fabric, adhesive and core bond together for use with strong solvent-based coatings. Use with epoxy, fiberglass resins, texture coatings, moisture cure urethane varnishes and adhesives. Solvent resistant polypropylene core.

R-890 240 9½ 5 ³/₁₆ 38 1½ 30 2.7

Foam. Better quality, spiral wound. Ideal for applying oil based semi-gloss and high gloss paints, melamine, urethanes, stains and varnishes. Not recommended for use with lacquer or shellac. Phenolic core.

R-196 SMOOTH 240 9 ½ 3 1/8 38 1½ 36 1.6 3½

Foam. Good quality, spiral wound. Single-use. Ideal for applying oil based semi-gloss and high gloss paints, melamine, urethanes, stains and varnishes. Not recommended for use with lacquer or shellac. Solvent resistant Phenolic core.

R-200 (2 pack) SMOOTH 240 9 ½ 3 ½ 38 1½ 18 1.6 3 ½

Foam. Best quality, thicker and seamless. Ideal for use with oil based semi-gloss and high gloss paints, melamine, urethanes, stains and varnishes. Not recommended for use with lacquer or shellac. Plastic core.

R-211 SM00TH 240 9½ 10 3/8 38 1½ 25 1.6 3½

Slit-Foam. The foam contains slits to contour around uneven surfaces. Ideal for painting stucco, brick, cinder block, cement floors and acoustical ceilings. Not recommended for use with lacquer or shellac. Plastic core.

R-216 UNEVEN SURFACES 240 9 ½ 19 ¾ 38 1½ 15 1.1 2 3/8





www.simms.ca



SURFACE DESIGNATION

SIZE mm PILE DEPTH mm

DIAMETER mm in SHELF PACK WEIGHT/PACK Kg lb

Mocryl® Fabric. For fine finishes. Use with semi-gloss and high gloss paints, enamels, varnishes, melamine, marine finishes, adhesives and liquid fiberglass. Solvent resistant polypropylene core.

in

R-221 SMOOTH

240 9 ½

(

in

8 1½

2.5 5 ½

Stucco. For textured paints. Ideal for creating stucco, heavy textured looks and specialty faux finishes. Solvent resistant polypropylene core.

R-223

TEXTURED

240 9 ½

10

3/8

1 ½

2.3

5

Driveway Sealer Applicator. Three Piece roller coater for applying driveway sealers. Consists of good quality knitted polyester fabric refill, "D.I.Y." roller frame and 48" wooden extension pole. Single-use. Replacement refill also available. Solvent resistant polypropylene core.

DA-4551 R-471 APPLICATOR REFILL

240 240

9 ½ 9 ½

19 19 38 38

38

1½ 1½

10 16

25

5.0 11 1.3 2⁷/₈



Roller Frames



www.simms.ca

Features of a Quality Roller Frame



Remember, a better quality roller frame will be more comfortable to hold, roll smoother and last longer.



Roller Frames

www.simms.ca

ITEM SURFACE DESIGNATION SIZE DIAMETER SHELF WEIGHT/PACK NO. mm in mm in PACK Kg I



Professional

Unique single-wire, chrome-plated roller frame. Balanced design and light tubular construction reduce "arm fatigue". Can be used with standard 38mm (1 ½") diameter roller refills. Comfortable ergonomic rubber grip. Threaded for use with extension poles. Set of end bearings included with frame.

F-2200	ROL-TEK® PRO FRAME	240	9 ½	38	1 ½	6	2.7	6
A-2265	ROL-TEK® END BEARINGS (For F-2200 Frame)			38	1 ½	12	0.2	1/2



Barracuda heavy-duty professional roller cage frame. Durable lightweight plastic cage assembly with retention ring that firmly holds roller in place preventing roller slippage. Heavy-duty 5/16" steel shank and ergonomic handle that is for use with snap-on or threaded extension poles.

RF-800C	BARRACUDA ROLLER FRAME	240	9 1/2	38	1 1/2	12	5	10.8



Heavy-duty 8mm (5/16") chrome-plated steel shank, reduces bending when using with an extension pole. Heavygauge 3.8mm five wire cage assembly. Available in both natural hardwood and injection-moulded plastic handles with metal insert or grommet for extra strength. Threaded for use with extension poles.

F-115	PRO CAGE FRAME, 5-WIRE Wood Handle Metal Threads with Grommet	240	9 1/2	38	1½	10	4.1	9
F-113	PRO CAGE FRAME, 5-WIRE Plastic Handle Metal Grommet	240	9½	38	1½	10	3.7	8 1/4



Heavy-duty 8mm (5/16") chrome-plated steel shank, reduces bending when using with an extension pole. Two tension bends on five wire cage assembly to prevent refill creeping. Available in both natural hardwood and injection-moulded plastic handles with metal insert or grommet for extra strength. Threaded for use with extension poles.

F-115i	PRO CAGE FRAME, 5-WIRE Wood Handle Metal Threads with Grommet	240	9½	38	1½	10	4.5	97/8
F-113i	PRO CAGE FRAME, 5-WIRE Plastic Handle Metal Grommet	240	9½	38	1½	10	4.1	9



Professional

F-160 ADJUSTABLE FRAME 450 18 38 1½ 6 4.5 10

Adjustable frame for 18" roller refills. Comfortable ergonomic rubber grip. Threaded for use with extension pole. Set of end caps included.

4883	ROLLER END CAPS	38	1 1/2	20	0.2	1/2

Roller Frames



www.simms.ca

WEIGHT/PACK ITEM SURFACE DESIGNATION SIZE DIAMETER SHELF NO. PACK mm in mm in Kg

Sturdy 6.4mm (1/4") chrome-plated steel shank. Lightweight aluminum handle which extends up to a length of 71 cm (28") eliminating use of extension pole. For simple "DIY"er household painting jobs.

F-185 EXTENDABLE HANDLE CAGE FRAME, 5-WIRE

Aluminum Handle

240 9 1/2 38

4.1 12



Sturdy 6.4mm ($\frac{1}{4}$ ") galvanized steel shank. Two tension bends on five wire cage assembly to prevent refill creeping. Available in two unique Simms comfort design injection-moulded plastic handle designs. Threaded for use with extension poles.

F-194 PREMIER QUALITY CAGE FRAME,

> 5-WIRE Plastic Handle

240 9 1/2 38

38

1 ½

1 ½

5.7

20

10

12 1/4

11 ½

9



F-191 **GENERAL PURPOSE**

CAGE FRAME, 5-WIRE

Plastic Handle

F-190 **GENERAL PURPOSE**

CAGE FRAME. 5-WIRE Plastic Handle 190

240

7 ½

9 1/2

38 1 ½ 10

4.1

5.2

Economically priced. Sturdy 6.4mm (1/4") chrome-plated steel shank. Plastic handle threaded for use with extension poles. Lightweight for "DIY"er use.

F-189

CONSUMER CAGE FRAME, 4-WIRE

Plastic Handle

240

9 ½

38

1 ½

2.7 6



Excellent quality trim roller cage frames with plastic handles threaded for extension pole use. Fits standard 38mm (1 1/2") diameter trim roller refills.

TRIM CAGE FRAME, A-094

4-WIRE Plastic Handle 100

75

3

38

38

1 ½

1 ½

24

24

4.1

3.6

9

8

A-053

TRIM CAGE FRAME,

4-WIRE

Plastic Handle





www.simms.ca

Features of a Quality Roller Tray

- Constructed of tough polypropylene plastic that will not rust and resists all common paint solvents
- Deep well design for large paint capacity
- Wide roll-out grid that covers full width of roller and distributes paint evenly, eliminating skidding



Unique integral leg design gives rigid support to the tray for use on a ladder or floor. Eliminates leg breakage. Leg notches firmly grip a wide range of step ladders.

Perfectly-fitting tray liners mean no more messy clean-ups and colour changes are as simple as changing liners.

ROLL WITH CONFIDENCE



- Extra deep to hold more paint and prevent spills
- Extremely sturdy and easy to shift while on floor without tipping
- Hand slots for stable tray carrying
- A real paint contractor favourite



Simms Professional Tray System



www.simms.ca

The most popular professional roller tray in Canada!


Includes Jumbo Paint Roller Tray, Tray Liner and Tray Cover and works with the Simms TRAYARM lifting tool

- A T-2015 JUMBO TRAY COVER Vacuumed-formed PET.
- Your environmental choice! Reduces clean-up time and disposal of paint into the environment.
- For use with T-2005 tray, designed to allow 2nd paint tray to be stacked onto cover for convenient storage.
- Keeps paint and roller fresh during painting breaks or even overnight.
- Accommodates up to a wet 1¼ (31mm) pile roller.
- Opening for handle so that roller and cage frame can be left in tray under the cover.
- Extension pole may be rested in cup-like holder and stood up in the TRAYARM, safely off the floor. Simms TRAYARM tool can be left attached as well.

placed over top corner pegs of T-2005 tray for a

secure fit.

- T-2005 JUMBO ROLLER TRAY
 Constructed of IMPACT RESISTANT RECYCLED
 POLYPROPYLENE plastic that will not rust and
 resists common paint solvents.
- DEEP-WELL DESIGN to hold more paint and prevent paint spills (3.5quart (L) paint capacity).
- WIDE ANTI-SKID GRID covers full width of roller and distributes paint evenly.
- HAND SLOTS for stable tray carrying.
- Designed to be USED FROM THE FLOOR in conjunction with a roller and extension pole.
- NEW CORNER PEGS allow for a secure fit of tray liner and cover.



35



Rollers Trays & Liners

www.simms.ca

WEIGHT/PACK ITEM DESCRIPTION **ROLLER SIZE** CAPACITY **SHELF** PACK mm Kg



Impact resistant recycled polypropylene. Resistant to solvents. Patented deep-well design to hold more paint and prevent spills. Anti-skid grid controls the amount of paint on roller for even painting results. Designed to be used from the floor in conjunction with a roller and extension pole. Excellent for large surface painting jobs. The professional painter's choice.

T-2005 JUMBO PROFESSIONAL Plastic Roller Tray

240 9 1/2

7.9 17 1/2

10

Vacuumed-formed PET. Disposable. Use a separate liner when changing paint colours on the same project. Saves clean-up time. For use with T-2005 tray. Solvent resistant. Contains a high percentage of recycled plastic

T-2010 JUMBO PROFESSIONAL Plastic Tray Liner

240

9 1/2

50

3.4 71/2



Vacuumed-formed PET. For use with Simms T-2005 tray to keep paint fresh during breaks and overnight. Helps to reduce clean-up time and disposal of paint into the environment. Includes opening for handle so that roller and cage frame can be left assembled under cover. Contains a high percentage of recycled plastic

JUMBO PROFESSIONAL

Plastic Tray Cover

1.6 3 1/2



Impact resistant recycled polypropylene. Resistant to solvents. Patented high wall, anti-skid grid and ladder leg lock design. Use on a ladder or on the floor. Another paint contractor's favourite.

T-160 LADDER-MATE®

9 1/2

2

10

3.4

7 ½

Vacuumed-formed PET. Disposable. Use a separate liner when changing paint colours on the same project. Saves clean-up time. For use with T-160 tray. Solvent resistant. Contains a high percentage of recycled plastic

T-165

LADDER-MATE®

Plastic Roller Tray

240

9 1/2

2.2

Plastic Tray Liner

 $4^{7/8}$

Vacuumed-formed PET. Disposable. Use a separate liner when changing paint colours on the same project. Saves clean-up time. For use with T-160 tray. Solvent resistant. Contains a high percentage of recycled plastic

T-166 5 pack LADDFR-MATF® **Plastic Tray Liner**

240

9 1/2

2

5

10

20

50

2.2 $4^{7/8}$



Impact resistant recycled polypropylene. Resistant to solvents. Smaller capacity design.

T-150 **GENERAL PURPOSE**

9 1/2

4.8

Plastic Roller Tray

Vacuumed-formed PET. Disposable. Use a separate liner when changing paint colours on the same project. Saves clean-up time. For use with T-150 tray. Solvent resistant. Contains a high percentage of recycled plastic

T-155

GENERAL PURPOSE Plastic Tray Liner

240

9 1/2

1

1

2.1

 $4^{5/8}$

10 ½



Rollers Trays & Liners



www.simms.ca

ITEM	DESCRIPTION	ROLLER SIZ	'C	CAPACITY		SHELF	WEIGHT/P	NCV
NO.	DESCRIPTION	MM	in	I	at	PACK	WEIGH1/F Ka	ACN Ih
110.		111111	1111		ųι	· / telt	ινg	ID

Solvent Resistant PET Plastic For use with 18" Rollers. Extra large well holds more paint than similar size trays.

T-410 INDUSTRIAL ROLLER TRAY 450 2.7



Heavy gauge plated steel. Ribbed bottom. Ladder-hook legs. For painting from floor or ladder. Large paint capacity for big surface painting jobs. Excellent for strong solvent coatings.

JUMBO PROFESSIONAL T-300 Metal Roller Tray

240 9 1/2

10 10.9

24

8

Vacuumed-formed PET. Disposable. Use a separate liner when changing paint colours on the same project. Saves clean-up time. For use with T-300 tray. Solvent resistant. Contains a high percentage of recycled plastic

JUMBO PROFESSIONAL T-320

Plastic Tray Liner

240

9 1/2

50 3.6



Heavy-duty plated steel. Ribbed bottom. Ladder-hook legs. Medium level paint capacity. Solvent resistant.

T-225 **DEEP WELL**

Metal Roller Tray

240

Vacuumed-formed PET. Disposable. Use a separate liner when changing paint colours on the same project. Saves

9 1/2

2

2

10 5.0

11



clean-up time. For use with T-225 tray. Solvent resistant. Contains a high percentage of recycled plastic T-245 **DEEP WELL** 9 1/2 2.7 6 **Plastic Tray Liner**



Smaller, easy to move steel tray. Ribbed bottom. Ladder-hook legs. Solvent resistant.

T-175 "D.I.Y." Metal Roller Tray 240

9 1/2

1

20

1

1

11.8

26

Vacuumed-formed PET. Disposable. Use a separate liner when changing paint colours on the same project. Saves clean-up time. For use with T-175 tray. Solvent resistant. Contains a high percentage of recycled plastic

T-195

"D.I.Y."

Plastic Tray Liner

240

9 1/2

50

2.3

5





Roller Sets

WEIGHT/PACK

Kg

www.simms.ca

ITEM DESCRIPTION SIZE PILE DEPTH DIAMETER SHELF PACK mm mm mm in





WORK SMARTER NOT HARDER

A great painter's tool designed to make the job easier. Eases back and leg strain by eliminating the need to bend over to move or pick up a roller tray. Safely and visibly holds a paint roller on an extension pole in an upright position during painting breaks instead of disassembled or lying flat on the floor avoiding paint spills and accidents. Convenient for carrying a paint tray over furniture, up and down staircases, through doors and other narrow spaces with the ease of one hand. The tool affixes to the bottom of the Simms T-2005 tray for a secure lock. The adjustable clamp can be used to secure other types of trays (both metal & plastic).

A-2007 7.4 16

Paint Tray Lifting Tool & Organizer



Professional


NO.

"Lint Free". Pro quality set. Contains 2L (2 gt.) capacity Ladder-Mate® plastic roller tray (T-160), 5-wire roller cage frame and one shed-resistant woven fabric blend roller refill for fine finishes. Use with all paints. Ideal for flat, low sheen and semi-gloss paints on smooth and semi-smooth surfaces.

S-421 **ROLLER SET 3 PIECE** 9 1/2 38 1 1/2 10 7.3 16

(Tray, Frame & Refill)

General Purpose



S-960 **ROLLER SET 3 PIECE** 240 9 1/2 38 1 1/2 16 8.2 18 (Tray, Frame & Refill)



Econo Grade

Good quality set. For basic painting where a fine finish is not required. Contains 1L (1qt.) plastic roller tray (T-150), 5-wire roller cage frame and one single-use polyester knitted fabric roller refill. Use with flat latex paints on smooth and semi-smooth surfaces.

S-950 **ROLLER SET 3 PIECE** 9 1/2 10 38 1 ½ 16 8.2 18

(Tray, Frame & Refill)

Promotional Roller Sets



nms.ca

ITEM NO.	DESCRIPTION	SIZ mm	E in	PILE DE mm	PTH in	DIAME mm	ETER in	SHELF PACK	WEIGH Kg	T/PACK Ib	www.S
4779	PRO MAX PROFESSIONAL QUALITY SIX PIECE (Tray, Liner, Frame, 2 Refills & Brush)	240	9 1/2	10	3/8	38	1½	10	8.4	18 1/2	PHU MIST GOES
4766	GOLDEN TOUCH MICROFIBER EIGHT PIECE (Tray, liner, Frame, 3 Refills, Mini Roller Frame & Mini Refill)	240	9 1/2	10	3/8	38	1 1/2	10	11.5	25.3	
4794	GOLDEN TOUCH MIRCOFIBRE FOUR PIECE ROLLER SET (Tray, Frame and 2 Refills)	240	9 1/2	10	3/8	38	11/2	10	7.5	16.5	Cath part of the Cath of the C
4774	PRO SELECT PROFESSIONAL QUALITY FIVE PIECE (Tray, Frame, Refill, Brush and Medium/Fine Sanding Sponge)	240	91/2	10	3/8	38	1 ½	10	7	151/2	
S1791	RENAISSANCE NYLYN EIGHT PIECE ROLLER SET (Tray, 2 liners, Frame, 2 Refills, Mini Roller Frame & Mini Refill)	240	9 1/2	10	3/8	38	1½	10	9.1	20.1	Nigorian Services and the services are services and the services and the services and the services are services and the services and the services are services and the services and the services are services are services and the services are services and the services are services are services and the services are services are services are services and the services are servic
S424	RENAISSANCE NYLYN FOUR PIECE ROLLER SET (Tray, Frame & 2 Refills)	240	9 ½	10	3/8	38	1½	10	7.5	16.5	



Promotional Roller Sets

www.SimmS.ca	ITEM NO.	SURFACE DESIGNATION		in	PILE DE mm	EPTH in	DIAMI mm	ETER in	SHELF PACK	WEIGHT Kg	T/PACK Ib
Professional Control of the Control	S433	PROFESSIONAL LINT FREE FIVE PIECE (Tray, Liner, Frame and 2 Refills)	240	9 1/2	10	3/8	38	1½	10	7.5	16.5
Same Qoo Qoo Market Str. Marke	S-721	MULTI-PIECE FOUR PIECE (Tray, Liner, Frame & Refill)	240	91/2	10	3/8	38	1½	10	6.8	15
Some Sandia	S-570	STAIN FOUR PIECE (Tray, Frame, Refill & Brush)	240	9 ½	13	1/2	38	1 ½	10	7.7	17
Seems Murt Precess	4479	MULTI-PIECE FIVE PIECE (Tray, Frame, 2 Refills & Brush)	240	91/2	10	3/8	38	1½	10	7.7	17
Decor Mate James James Landon James James Landon James	S-370	DECOR-MATE "LINT FREE" THREE PIECE (Tray, Frame & Refill)	240	91/2	10	3/8	38	1½	10	7.3	16
Symple Color State Color	4769	MULTI-PIECE THIRTEEN PIECE PAINT SET	240	9 ½	10	3/8	38	1½	10	9.1	20

Extension Poles



www.simms.ca

ITEM DESCRIPTION Length

Diameter mm

SHELF PACK

in

WEIGHT/PACK lb

MASTER PACK

WEIGHT/PACK Kg

Pro Everlok



Strong, sturdy and lightweight anodized aluminum extension poles. Non slip and non stick surface prevents paint buildup. Double grooved variable positive locking allows for adjustment to any length and prevents pole from twisting. Large foam handle for relaxed comfort and heavy duty aluminum threaded tip. Patent Pending.

A-2064	TELESCOPIC	0.3m-0.6m	1'-2'	25	1	6	0.9	2
A-2065	TELESCOPIC	0.6m-1.2m	2'-4'	25	1	6	1.5	3.4
A-2066	TELESCOPIC	0.9m-1.8m	3'-6'	25	1	6	2.3	5.1
A-2067	TELESCOPIC	1.2m-2.4m	4'-8'	25	1	6	2.7	5.9
A-2068	TELESCOPIC	1.2m-3.6m	4'-12'	25	1	4	3.0	6.5
A-2069	TELESCOPIC	1.8m-5.4m	6'-18'	25	1	4	5.4	11.8

Professional Quality



Push Button-Lock, Fiberglass / Aluminum. Exterior fiberglass pole with slot-locking aluminum inner tube. Push button (thumb release) mechanism that locks positions in 6 inch increments.

A-2054	TELESCOPIC	0.3m-0.6m	1'-2'	32	1.25	6	2.5	5.5
A-2055	TELESCOPIC	0.6m-1.2m	2'-4'	32	1 1/4	6	3.3	7.3
A-2056	TELESCOPIC	0.9m-1.8m	3'-6'	32	1 1/4	6	4.4	9.6
A-2057	TELESCOPIC	1.2m-2.4m	4'-8'	32	1 1/4	6	5.4	11.8
A-2058	TELESCOPIC	1.8m-3.6m	6'-12'	32	1 1/4	6	7.5	16.5
A-2059	TELESCOPIC	2.4m-4.8m	8'-16'	32	1 1/4	6	10.7	23.5

"D.I.Y."

Lightweight and non-corrosive telescopic aluminum extension pole. Plastic tip. Fast and easy length adjustment with a turn lock. Threaded for standard use with roller frames.


TELESCOPIC A-2040 106-180cm 42"-72" 25 10 5.0 11

High quality hardwood threaded tip extension pole for use with any standard roller frame.

6714 ONE-PIECE 135cm 15/16 0.4 50 19.4 42 3/4 **THREADED**

High quality hardwood tapered end (no threads) extension pole. Use with Junco roofing brush. (Simms #5920).

6829 **ONE-PIECE** 135cm 54" $1^{1/8}$ 28 0.6 11/4 50 28.0 613/4 **TAPERED**



Threaded metal tip. Attaches to end of any 23mm ($^{15}/_{16}$ ") diameter extension pole or broom handle for use with standard roller frames.

KLAMP-TITE A-080 **ADAPTER**

23 15/16 1 0.1 1/4





Time Trimmer® Mini-Rollers

www.simms.ca

Painting hard to reach places and those specialty projects can be done quickly and easily with the complete line of Time Trimmer® mini-rollers. From kitchen cupboards, to stair spindles, there's a specialty Time Trimmer® mini-roller for every type of job. So when your customers want the job done right, reach for the roller that saves them time and earns you money. Reach for Time Trimmer® mini-roller from Simms.

... Because Time is Money!

Super Fine Foam



Ideal for high gloss paints, stains, varnishes, urethanes and melamine. Rounded ends (no lap marks)

Gold Stripe Fabric



Works well with flat and semi-gloss paints, exterior stains.

Paints both sides of corner at same time.

Micro Fibre Fabric



Works well with all paints, provides superior finish. Paints both sides of corner at the same time.

Lint Free Fabric




Use with flat, low sheen and semi-gloss paints. Ideal for cupboards, cabinets, shelving and doors.

Frames hold both 100mm (4") and 150mm (6") refills



Single-wire European format roller



Time Trimmer ® Mini-Rollers



www.simms.ca

ITEM DESCRIPTION **REFILL SIZE** PILE DEPTH FRAME LENGTH TRAY SIZE SHELF WEIGHT/PACK PACK mm $\,\mathrm{mm}$ in cmin cmin Kg

Super Fine Foam

Extra high density foam. Produces super smooth finishes. No lap marks. Use when painting doors, cupboards, cabinets, furniture, toys, stairs, behind appliances and other hard to reach places. Ideal for applying melamine, urethanes, semi-aloss and high aloss naints, stains and varnishes to smooth surfaces.

A-100	ROLLER (FRAME & REFILL) Rounded Ends Threaded Handle	100	4	11		30.5	12	20	2.8	6 1/4
A-101	MINI-ROLLER Rounded Ends (12" Long Handle & 2 Refills)	100	4	11	⁷ /16	30.5	12	20	2.9	6½



A-104	ROLLER REFILL Rounded Ends	100	4	11	⁷ / ₁₆	20	0.5	1
A-136	ROLLER REFILL 2 PACK Rounded Ends	100	4	11	7/16	10	0.5	1
A-137	ROLLER REFILL 4 PACK Rounded Ends	100	4	11	⁷ / ₁₆	5	0.5	1
A-134	ROLLER REFILL 10 PACK Rounded Ends	100	4	11	⁷ /16	10	2.3	5
A-106	ROLLER REFILL Rounded Ends	150	6	11	⁷ /16	20	0.7	1½

11

7/16

30.5



S-100 ROLLER SET 3 PIECE (TRAY, FRAME & REFILL) Rounded Ends Threaded Handle 100



S-102 ROLLER SET 3 PIECE (TRAY, FRAME & REFILL) Rounded Ends Threaded Handle 150 6 11 ⁷/₁₆ 30.5 12 36x20.5 14x8 10 2.7

12 36x18 14x7

10

2.2

 $4^{7/8}$

6





Time Trimmer® Mini-Rollers

www.simms.ca

Su	per Fine Fo	am										
NO.		mm	in	mm	in	cm	in	cm	in	PACK	Kg	lb
ITEM DESCRIPTION	DESCRIPTION	REFILL SIZE .		PILE DE	PTH	FRAME LENGTH		TRAY SIZE		SHELF	WEIGHT/PACK	



Su	per Fine Fo	am								
S-115	"MINI" ROLLER SET 3 PIECE (TRAY, FRAME & REFILL) Square Ends	70	2 3/4	11	⁷ / ₁₆	15	6 20.3x12 8x4¾	20	1.3	2 7/8
A-131	MINI-ROLLER REFILL (Replacement Refills for S115 Set) 2 Pack / Sqaure Ends	70	2 3/4	11	⁷ / ₁₆			20	0.4	0.9



S-117 ROLLER SET 4PC 100 4 11 7/16 (TRAY, FRAME & 2 REFILLS)
Rounded Ends
Threaded Handle

100 4 11 ⁷/₁₆ 25 10 27.5 11x5 30 4.4 11 x 12.5



Gold Stripe Fabric

Woven fabric. Small diameter roller gets into tight spots. Fabric over end of refill will paint both sides of corner at same time. Use with flat and semi-gloss paints and exterior stains on smooth to semi-rough surfaces. Ideal for painting interior: walls, ceilings, corners, cupboards, cabinets, closets, shelves and other hard to reach places. Excellent for painting exterior: siding, cement, fences, decks, eaves and soffits.

A-110	ROLLER (FRAME & REFILL)	100	4	12	15/32	41	16	20	3.6	8
A-112	ROLLER (FRAME & REFILL)	150	6	12	15/32	61	24	10	2.5	5 ½



A-114	ROLLER REFILL	100	4	12	15/32	20	0.7	1½
A-146	ROLLER REFILL 2 PACK	100	4	12	15/32	10	0.5	1
A-147	ROLLER REFILL 4 PACK	100	4	12	15/32	5	0.4	0.8
A-144	ROLLER REFILL 10 PACK	100	4	12	15/32	10	3.4	7 ½
A-116	ROLLER REFILL	150	6	12	15/32	20	0.8	1 3/4

Time Trimmer ® Mini-Rollers



www.simms.ca

ITEM	DESCRIPTION	REFILL SI	ZE	PILE DE	PILE DEPTH		FRAME LENGTH		TRAY SIZE			
NO.		mm	in	mm	in	cm	in	cm	in	PACK	Kg	lb

Go	ld Stripe Fa	bric										
S-110	ROLLER SET 3 PIECE (TRAY, FRAME & REFILL) Threaded Handle	100	4	12	15/32	30.5	12	36 x18	14x7	10	2.2	4 7/8
S-116	ROLLER SET 5 PIECE (TRAY, FRAME & 3 REFILLS) Threaded Handle	100	4	12	15/32	30.5	12	27.5 x12.5	14x7	30	6.5	14.3



Lint Free Fabric

Lint free woven fabric. Small diameter roller gets into tight spots. Use with flat, low sheen and semi-gloss paints. Ideal for painting walls, ceilings, room corners, cupboards, cabinets, closet doors, shelves, and other hard to reach areas. For smooth to semi-smooth surfaces.

A-151	ROLLER REFILL 2 PACK	100	4	10	3/8					12	0.7	1½
A-152	ROLLER REFILL 4 PACK	100	4	10	3/8					6	0.8	1 3/4
A-154	ROLLER REFILL 2 PACK	150	6	10	3/8					12	0.8	1 3/4
A-153	ROLLER REFILL 10 PACK	100	4	10	3/8					10	3.4	7 ½
S-131	ROLLER SET 4 PIECE (TRAY, FRAME, & 2 REFILLS)	100	4	10	3/8	30.5	12	36	18	30	6	13.2



Renaissance Minis

Lint free NYLYN hybrid fabric blend. Small diameter roller gets into tight spots. High quality finishes and outstanding coverage versus other lint free mini rollers. 10mm pile ideal for flat, low sheen and semi-gloss paint on smooth and semi-smooth surfaces. 13mm pile ideal for all flat paints on semi-rough surfaces.

A-170	ROLLER REFILL 2 PACK	100	4	6	1/4					10	0.5	1
A-171	ROLLER REFILL 10 PACK	100	4	10	3/8					10	2.5	4.5
A-172	ROLLER REFILL 2 PACK	100	4	10	3/8					10	0.6	1.3
A-174	ROLLER REFILL 4 PACK	100	4	10	3/8					5	0.6	1.3
A-176	ROLLER REFILL 2 PACK	150	6	10	3/8					10	0.7	1.5
A-192	ROLLER REFILL 2 PACK	100	4	13	1/2					10	0.7	1.6
A-196	ROLLER REFILL 2 PACK	150	6	13	1/2					10	0.8	1.7
S-172	ROLLER REFILL 4 PIECE (TRAY, FRAME, & 2 REFILLS)	100	4	10	3/8	26	10.2	27.5 x 12.5	11 x 5	30	6.5	14.3





Time Trimmer ® Mini-Rollers

www.simms.ca

DESCRIPTION **REFILL SIZE** FRAME LENGTH WEIGHT/PACK ITEM PILE DEPTH TRAY SIZE SHFLE PACK in in Kg mm mm сm cm



Microfiber Fabric

Microfiber fabric. Small diameter roller gets into tight spots. Provides extremely fine, consistent finishes when rolling in either direction with low splatter and low lint application. Paint pick up and release is excellent along with being very durable. Fabric over end of the refill will paint both sides of corner at the same time.


A-157	EXTENDABLE ROLLER (Frame & Refill 2pk) Frame Extends up to 90cm/36"	100	4	10	3/8	90	36	10	3.3	6 1/4
A-158	ROLLER REFILL 2 PACK	100	4	10	3/8			10	0.5	1
A-166	ROLLER REFILL 2 PACK	150	6	10	3/8			10	0.7	1.5
A-159	ROLLER REFILL 4 PACK	100	4	10	3/8			5	0.3	0.8
A-160	ROLLER REFILL 10 PACK	100	4	10	3/8			10	2.5	4.5
S-140	ROLLER SET 4 PIECE (Tray, Frame, & 2 Refills)	100	4	10	3/8	26	10.2 27.5 x 12.5 11 x 5	30	6.5	14.3



Velour Fabric

Short pile woven fabric. For fine finishes on smooth surfaces. Great for kitchen and bathroom painting including doors, cupboards, cabinets and other small areas. Also, works well on ironwork and metal surfaces. Ideal for applying semigloss and high gloss paints, urethanes, varnishes, stains, epoxy paints and lacquers.

A-118 ROLLER REFILL 100 4 4 5/32 20 0.7 1½



Roller Frames

Single wire European style format. Chromed wire. Simms comfort design handles threaded for standard extension pole use. Useable with 100mm (4") or 150mm (6") refills.

F-102	ROLLER FRAME Threaded Handle	30.5	12	20	2.8	6 1/4
F-104	ROLLER FRAME Threaded Handle	41	16	20	3.7	8



Roller Trays

Vacuumed-formed PET. Deep-well design to hold more paint and prevent spills. Anti-skid grid for even paint loading. Contains a high percentage of recycled plastic

T-040	ROLLER TRAY For use with 100mm (4") or less refills	36 x 18	14 x 7	20	2.0	43/8
T-060	ROLLERTRAY	36 x 20.5	14 x 8	20	2.5	5 ½

For use with 150mm (6") or less refills

Mighty Mini® Rollers



www.simms.ca

ITEM DESCRIPTION REFILL SIZE PILE DEPTH FRAME LENGTH SHELF WEIGHT/PACK NO. mm in mm in cm in PACK Kg Ib

Elite Pro Plus

Elite Pro Plus "MIGHTY MINI" trim rollers are made with high density woven lint free fabric for fine finishes and exceptional coverage. Rollers are open core with larger diameter versus standard mini rollers. This larger diameter roller provides additional pick-up for greater coverage and easier cleaning. 10mm pile ideal for flat, low sheen and semi-gloss paints on smooth and semi-smooth surfaces and 13mm pile ideal for all flat and low sheen paints on semi-smooth and semi-rough surfaces. For use with Barracuda mini jumbo cage frames.

A-122	ROLLER REFILLS 2 PACK	100	4	10	3/8	10	0.3	0.7
A-123	ROLLER REFILLS 2 PACK	150	6	10	3/8	10	0.37	0.8
A-126	ROLLER REFILLS 2 PACK	100	4	13	1/2	10	0.32	0.7
A-127	ROLLER REFILLS 2 PACK	150	6	13	1/2	10	0.39	0.9



Golden Touch

Golden Touch "MIGHTY MINI" trim rollers are made with high density microfiber for extremely fine, consistent finishes when rolling in either direction with low splatter and low lint application. Rollers are open core with larger diameter versus standard mini rollers. This larger diameter roller provides additional pick-up for greater coverage and easier cleaning. 10mm pile ideal for all flat, low sheen and semi-gloss paints on smooth and semi-smooth surfaces. For use with Barracuda mini jumbo cage frames.

A-162 ROLLER REFILLS 2 PACK	100	4	10	3/8	10	0.3	0.7	
A-167 ROLLER REFILLS 2 PACK	150	6	10	3/18	10	0.37	0.8	



Barracuda

Barracuda mini jumbo cage frames have a durable lightweight plastic cage frame with retention ring to firmly hold "MIGHTY MINI" rollers in place. Handle can be used with snap-on or threaded extension poles and has rubberized comfort grip. Frames fit both 100mm (4") and 150mm (6") "Mighty Mini" trim rollers.

RF-810-11 JB ROLLER CAGE FRAME	27.5 11 12 1.8 3.9
RF-810-22 JB ROLLER CAGE FRAME	55 22 12 2.6 5.7





Trim Coaters

www.simms.ca

ITEM	ITEM DESCRIPTION		FILL SIZE	PILE [PILE DEPTH		DIAMETER		WEIGHT/PACK	
NO.		m	m in	mm	in	mm	in	PACK	Kg	lb



General Purpose Woven Fabric. Fine Finishes. Mini-diameter core and short metal wire frame and handle for small area painting. Ideal for semi-gloss and high gloss paints, enamels, varnishes, melamine, marine finishes, adhesives and fiberglass applications. For smooth surfaces.

A-04	40 ROLLER Handle & Refill	75	3	6	1/4	22	7/8	20	0.9	2
A-04	11 ROLLER REFILL Two Pack	75	3	6	1/4	22	7/8	20	0.5	1



General Purpose Polyester Fabric. Ideal for all flat paints on smooth and semi-smooth surfaces. Roller refill can also be used with standard 75mm (3") cage frame (Simms A-053).

A-044	ROLLER Jet frame & Refill	75	3	10	3/8	38	1½	20	1.1	23/8
A-045	ROLLER REFILL Single Pack	75	3	10	3/8	38	1½	20	0.6	1 ¹ / ₃



Specialty Nylon Fabric. Ideal for applying epoxy, fiberglass resins, texture coatings, moisture cure urethane varnishes and adhesives. For smooth surfaces. Roller refill can also be used with standard 75mm (3") cage frame (Simms A-053).

A-048	ROLLER Jet frame & Refill	75	3	3	1/8	38	1½	20	1.0	2 1/4
A-049	ROLLER REFILL Single Pack	75	3	3	1/8	38	1½	20	0.6	1 1/3



General Purpose Foam. Ideal for applying urethanes, melamine, semi-gloss and high gloss paints, stains and varnishes. Not recommended for lacquer or shellac. For smooth surfaces. Roller refill can also be used with standard 75mm (3") cage frame (Simms A-053).

A-050	ROLLER Jet Frame & Refill	75	3	3	1/8	38	1½	20	0.9	2
A-051	ROLLER REFILL Single Pack	75	3	3	1/8	38	1½	20	0.5	1

Trim Coaters

ITEM

DESCRIPTION

with (Simms A-094).



www.simms.ca

TIEM DESCRIPTION					D		J			
NO.	mm	in	mm	in	mm	in	PACK	Kg	lb	
Premier Quality "Lint Free". Best quality, s	shed-resi	stant fa	bric for fi	ne finis	hes. For u	se witi	h all pair	nts on smo	oth to	
semi-smooth surfaces. 6mm ideal for semi-g	loss and	high gl	oss paints	s. 10mn	n pile idea	al for fl	lat, low s	heen and	semi-	
aloss paints, 75mm (3") roller refills can also	be used	with sta	andard ca	iae fran	ne (Simms	s A-05	3) and 1	00mm (4") refills	

PILE DEPTH


DIAMETER

SHELF

WEIGHT/PACK

REFILL SIZE

A-052	DELUXE ROLLER Cage Frame & Refill 25 cm (10") long handle threaded for extension pole use.	75	3	6	1/4	38	1½	20	2.7	6
A-054	ROLLER Jet Frame & Refill	75	3	6	1/4	38	1½	20	1.0	2 1/4







25 cm (10") long handle threaded for extension pole use.

A-091	ROLLER REFILL Single Pack	100	4	6	1/4	38	1½	20	0.8	1 3/4
A-093	ROLLER REFILL Single Pack	100	4	10	3/8	38	1½	20	0.8	1 3⁄4









Trim Coaters

www.simms.ca

ITEM DESCRIPTION REFILL SIZE PILE DEPTH DIAMETER SHELF WEIGHT/PACK NO. mm in mm in mm in PACK Kg Ib



Elite Trim Coaters

"Elite Professional Plus" high density, shed-resistant woven fabric provides a fine lint free finish. Paint pick-up and release is superior to regular woven rollers making painting easier. 10mm pile ideal for flat, low sheen and semi-gloss paints. Ideal for today's low VOC paints.

A-065	ROLLER WITH HANDLE & REFILL 25cm (10") long handle threaded for extension pole use	75	3	10	3/8	38	1½	20	3.2	7
A-066	ROLLER REFILL Single Pack	75	3	10	3/8	38	1½	20	0.6	1 ¹ / ₃



A-096	ROLLER WITH HANDLE & REFILL 25cm (10") long handle threaded for extension pole use	100	4	10	3/8	38	1½	20	3.6	8
A-097	ROLLER REFILL Single Pack	100	4	10	3/8	38	1½	20	0.8	1 3/4





Easy to hold trim roller tray. Unique Simms deep well design with anti-skid grid for even paint distribution. 21.6 cm x 14 cm (8 ½" x 5 ½") size with 0.3L (0.3 qt.) paint capacity. Vacuumed-formed solvent resistant PET plastic. Contains a high percentage of recycled plastic

T-050 ROLLER TRA	75	3	100	2.8	6 1/4
------------------	----	---	-----	-----	-------

Trim Roller Sets



www.simms.ca

DESCRIPTION REFILL SIZE PILE DEPTH DIAMETER SHELF WEIGHT/PACK ITEM NO. PACK in in Kg mm mm in mm

Trim Roller Sets

Premier Quality "Lint Free". Includes A-054 roller. Best quality, shed-resistant fabric for fine finishes. Ideal for all semi-gloss and high gloss paints on smooth surfaces.

S-344 ROLLER SET 3 PIECE (Tray, Frame & Refill)

75 3 6 ¼ 38 1½ 20 1.8

38

11/2

10

2.7

6

General Purpose Woven Fabric. Includes A-040 mini diameter roller for tight spot painting. Ideal for semi-gloss and high gloss paints, enamels, varnishes, melamine, marine finishes, adhesives and fiberglass applications. Extra refill.

ROLLER SET 4 PIECE 75 3 6 1/4 22 7/8 20 1.8 4 (Tray, Frame and 2 Refills)



"Premier Quality Lint Free". Best quality shed-resistant fabric for fine finishes. Ideal for all semi-gloss and high gloss paints on smooth surfaces.

100

S-354 TRIM ROLLER SET

S-346

4 PIECE


(Tray, Cage Frame & 2 Refills)





www.simms.ca

ITEM DESCRIPTION SHELF WEIGHT/PACK NO. SHELF WEIGHT/PACK Kg |



Bucket Grid

Expanded metal grid in steel frame. Bent legs. For loading paint on a roller direct from a 20L (5 gal.) pail.

A-020 BUCKET GRID 24 6.8 15



EZ Paint Pail

EZ Paint Pail is great for small paint and stain projects. Rubberized comfort grip and magnetic brush holder that can be adjusted to a either a vertical or horizontal position. Use with EZ Paint Pail liners for quick colour changes and easy clean-up. Pail capacity 1.25 qts/1.18L

PC2	EZ PAINT PAIL	3	0.22	0.48
PCL6	EZ PAINT PAIL LINERS 6PK	4	0.1	0.23



Paint Edger Tools and Pro Stainer

Paint edgers come in two styles, DIY and professional. Professional edger has a threaded swivel handle for easy use with extension poles. Ideal for edging around interior doors, windows and baseboards. For quick and easy clean-ups, edgers have a "squeeze release" system. Just hold over sink or trash can and squeeze tabs to release the pad. Size 5 inches/125mm.

CAN PD 7003 DIY	TRIM EDGER TOOL	6	0.36	0.8
CAN PD 7003 PRO	TRIM EDGER TOOL	6	0.48	1.1
CAN PD 7013	TRIM EDGER TOOL PAD 2PK	6	0.2	0.4



Pro Stainer is ideal for staining or painting decks, fences, siding, concrete and other rough surfaces. Pad is tear resistant and handle is threaded for use with extension poles. For quick and easy clean-ups, pro stainer has a "squeeze release" system. Just hold over sink or trash can and squeeze tabs to release the pad. Size 7 inches/175mm.

CAN PD 7000 TR	PRO STAINER	6	0.9	2
CAN PD 7010 TR	PRO STAINER PAD	12	0.4	0.9



www.simms.ca

ITEM DESCRIPTION

SHELF WEIGHT/PACK PACK Kg Ib

Corner Roller

General Purpose. Rounded, seamless foam roller for painting into corners and other tight spots. Plastic handle. Ideal for applying urethanes, melamine, semi-gloss and high gloss paints, stains and varnishes.

RT320C CORNER ROLLER 12 0.5 1



Paint Brush Extender

Paint Brush Extender. Safely and securely holds any size brush. Easily adjusts to any angle. Fits all threaded extension poles. Allows for easier painting with difficult angles and hard to reach places.

6007 PAINT BRUSH EXTENDER 12 4 8.8



MAGNE-CLIP

MAGNE-CLIP. Strong permanent magnet holds any size paint brush, 30mm(1-14") to 100mm(4"). Safely and securely clips onto any size paint can or tray, metal or plastic. Centers brush over paint can or tray preventing paint drips and spills.

5095 MAGNE-CLIP 24 3.7 8.2



Brush & Roller Cleaner

Paint brush & roller cleaner. Spin cleans and dries any size brush and roller quickly and thoroughly.

6006 SPINNER 6 3.9 8½



Elastic Paint Strainer

Strains lumps and other impurities from paint. Elastic opening keeps strainer secure.

 PS 1G
 1 GALLON STRAINER
 25
 0.13
 0.3

 PS 5G
 5 GALLON STRAINER
 25
 0.35
 0.8







www.simms.ca

ITEM DESCRIPTION SHELF WEIGHT/PACK NO. SHELF WEIGHT/PACK Kg II



Cau	lking Guns			
Traditio	nal 1/10 smooth cradle caulking gun. Available in blue			
6000	CAULKING GUN 1/10 SM00TH	24	6.9	15
Traditio	nal 1Quart smooth type, cradle caulking gun w/strap. Features a clean out tool and spout o	cutter.		
6002	CAULKING GUN 1 QUART SMOOTH	6	4.4	9.7
Unique	1/10 smooth, hex rod spring type skeleton caulking gun. Available in blue.			
6003	CAULKING GUN 1/10 SMOOTH - HEX ROD	24	8.6	19
For the	"DIY"er. A "Never Drip" skeletal gun that features a spout cutter and ladder hook. Gray finis	h.		
6005	CAULKING GUN 1/10 SMOOTH - HEX ROD	12	6.8	15
For the	"DIY"er. Cradle gun that features a clean out tool, spout cutter and ladder hook. Gray finish			
6009	CAULKING GUN 1/10 RATCHET	12	4.4	9.8
Profess	ional "Never Drip" gun features a clean out tool, spout cleaner, ladder hook and wrist strap.	Chrom	e finish.	
6009C	CAULKING GUN 1/10 RATCHET	12	6.8	15
Heavy-	duty construction ideal for contractors. Featues alloy steel with a punch lever to stop caulk	flow.		
6004P	CAULKING GUN 1/10 SMOOTH - ROTATING BARREL	12	7.5	16 ½
Heavy-	duty construction ideal for contractors. Features a rotating barrel, punch lever, spout cleane	er, and i	ladder h	nook.
6004	CAULKING GUN 1 QUART SMOOTH	6	5.4	12



www.simms.ca

ITEM NO.	DESCRIPTION	SIZE	SHELF PACK	WEIGHT/PACK Kg lb		www.SIMMS.ca
Plasti	c Drop Sheets					
KL 300	UTILITY GRADE	9' x 12'	24	1.6	3 ½	
KL 300 x 3	UTILITY GRADE 3 PACK	9' x 12'	8	1.6	3 ½	
KL 10400	UTILITY GRADE	9' x 400'	1	2.5	5 ½	Particles The second s
KL 400	STANDARD GRADE	9' x 12'	18	1.4	3	
KL 800	HEAVY DUTY GRADE	9' x 12'	9	1.5	3.4	
ITEM NO.	DESCRIPTION	SIZE mm/in	SHELF PACK	WEIGHT, Kg	/PACK Ib	

Floor Finish Applicators

25cm (10") wide padded wood block applicators for applying stains, urethane and other finishes to floors. Wood block is threaded for use with standard broom handles. Pads are replaceable (screw and wig-nut attachment) Synthetic lambswool type of fabric pad for applying oil-based stains and finishes. Woven fabric pad laminated to foam backing (resists shedding) for applying waterbased stains and finishes.

6252	OIL-BASED APPLICATOR	250/10	6	1.6	3 ½
6253	OIL-BASED REPLACEMENT PAD	250/10	10	0.5	1
6262	WATER-BASED APPLICATOR	250/10	6	1.6	3 ½
6263	WATER-BASED REPLACEMENT PAD	250/10	10	0.5	1







Head Office

Tel: 506.635.6330

Mailing address / Courier address:

T.S. Simms & Co.

560 Main Street, Suite 320 Saint John, NB E2K 1J5

Customer Service & Order Desk (For Canada & U.S.A.)

Email: orderdesk@simms.ca

Tel: 506.635.6305 Fax: 506.635.6323

Toll Free:

1.800.561.9100

Toll Free Fax:

1.888.756.0533



